

INDEX

The figures in bold face type indicate the number of a page containing an illustration in the text; those in italics indicate the number of a page showing a marginal illustration.

- A
- Aard-vark, 442, 445
 cornea, keratinized, 456
 nictitating membrane, 493
 pupil, 472
- Ablepharus*, secondary spectacle, 366, **367**
- Abyssal habit, degenerate eyes due to, 722
- Acanthephyra*, bioluminescence in, 742, **743**
- Acarines, 216
 eyes of, 216
 vision of, 579
- Accipiter*, Müller's ciliary muscle, 406
 orbit, **423**
- Accommodation in invertebrates, 590
 in vertebrates, 640
 amphibians, 647
 amphibious animals, 654
 birds, 651
 chelonians, 651, **652**
 crocodilians, 651
 cyclostomes, **644**
 lacertilians, 651
 mammals, 652, **653**
 sauropsidans, 649, **650**
 selachians, **647**
 snakes, **648**
 teleosts, **645**, 646
- dynamic, 644
- muscle of, in *Alciopa*, 591
 in cephalopods, 590
 in snakes, 387
 See also Ciliary muscles.
pecten and, 416
static, 640
 structure of retina and, 656
- Acerentomon*, 218
- Achias rothschildi*, **223**
- Acholoë*, bioluminescence in, 742, **744**
- Acilius* larva, dermal sensitivity, 114
 eye and cerebral ganglion, **519**
- Acipenser*, 315
 anterior chamber, **319**
 choroid, **319**
- Acipenser*
- median eye, 713
 pupil, 317
- fulvescens*, visual cells, **320**
- ruthenus*, **317**
 eye, **318**
- sturio*, eye, **275**
- Acnidaria, 182
 See also Coelenterates, Comb-jellies.
- Acone eye, 167
- Acrania. See Cephalochordata.
- Acrida turrita*, colour changes in, 94
- Acrobates. See Flying phalanger.
- Actinia*, phototactic reactions of, 571
- Actinopterygii, 234, 235
- Acuity of vision. See Visual acuity.
- Adiposo-genital dystrophy, 560
- Adrenal gland, hormones and, 550
- Aëdes*, scototaxis in, 60
- Aega*, telotaxis in, **56**
- Aeglina prisca*, **157**
 eyes of, 157
- Aeschna*, 225
 larvae, optic ganglia, activity of, 524
 optomotor response of, 589
 californica, **222**
- Æsthetes, in *Chiton*, 196
- Agama agama*, 359
 iris, 359, Pl. V
- Agaricus olearius*, bioluminescence in, 737
- Aggregate eyes, 151
- Agnatha, 233
 pineal organ in, 713
 See also Cyclostomes.
- Agwantibo, 443
 See also Lemuroids, Primates.
- Ahaetulla picta*, iris, 387
- Alaurina prolifera*, ocelli of, **188**
- Alburnus*, colour preference in, 624
 lucidus, migration of pigment in, **615**
 visual pigments, 121
- Alcedo*, **417**
 bifoveate retina, 417
 vision of, 641, 655

INDEX

- Alciopa*, 192
 accommodation in, 591
 ocelli of, 143, 192
- Alligator*, 375
 brain, 533
 visual acuity, 665
 field, binocular, 682
- chinensis*, fundus, Pl. VIII
- mississippiensis*, visual cells, 377
- Allolobophora*, conditioning of, 573
- Alouatta*. *See* Monkey, howling.
- Alytes obstetricans*, 334
 colour blindness of, 628
 pupil of, 339
- Ambylyomma pomposum*, 217
- Amblyopsidae*, 725
- Amblyopsis*, degenerate eyes in, 726
- Amblyrhynchus cristatus*, 356
- Ambystoma tigrinum*, 334, 346
 eyes of, 346, 728
 larva. *See* Axolotl.
- Ameiurus*, 307
 colour changes in, 97
 eyes of, 725
 larvae, phototaxis in, 46
 optic nerve, 310
 visual cells, 307
 migration of, 616
- Amia*, 279, 321
 choroidal gland, 321
 colour vision in, 624
 cornea, 295
 eye of, 276, 321
 median eye of, 713
 visual cells, 321
 migration of, 614
- Ammocetes*, 92, 260
 colour changes in, 92
 eyes of, 261
 light-sensitive cells in tail, 132, 263
 median eye of, 717
 optic nerve, 270
- Ammomanes*, camouflage in, 83
- Ammophila*, mnemotaxis in, 79
- Amœba proteus*, 179, 180
 diffuse sensitivity of, 113
 photokinesis in, 35
- Amphibians*, 333
 accommodation in, 647
 brain, 533
 transection of, 534
 ciliary ganglion, 501
 cochlea, 534
- Amphibians, colour changes in, 82
 control of, 97, 558
 mechanism of, 86
 pineal organ and, 719
 rhythmic, 20
 colour vision in, 627
 optomotor reaction and, 623
 dermatoptic sensitivity of, 32
 eyes of, 334 ff.
 degenerate, 726, 730
 fore-brain, 543
 removal of, 545
 iris, contraction to light, 89
 lateral geniculate body, 541
 mid-brain, 535
 migration of retinal pigment, 614
 visual cells, 616
 movement, perception of, 705
 neuro-endoocrine system, 557
 nocturnality of, 603
 ocular movements of, 694
 optic thalamus, 540
 pineal apparatus, 714
 function of, 719
 primitive, 234, 235
 pupillary reactions, 89, 700
 refraction of, 638
 reproductive cycle in, 17
 rods, thickening of, 611
 spatial judgment of, 702
 tectum, 534
 telencephalon, 543
 vision of, 599
 visual acuity of, 661
 field, binocular, 682
 pathways of, 537, 544
 pigments of, 121
- See also* Anurans, Cæcilians, Urodeles.
- Amphibious eyes in fishes, 324
 vertebrates, accommodation in, 654
 duplicated optical system, 641
- Amphioxus*, 229
 cells of Joseph, 229
 infundibular organ, 229
 nerve-cord, 239, 530
 nervous system, 530
 organs of Hesse, 230
 vertebrate eye developed from, 244
- Amphiporus*, 189
 ocelli of, 189
- Amphisbaena punctata*, degenerate eyes of, 733
- Amphisbaenidae*, 733

- Amphisbaenidae*, degenerate eyes of, 733
Amphitretus, 203
 tubular eyes of, 203
Amphiuma, 349
 eyes of, 349
Anabas, accommodation in, 654
Anableps tetrophthalmus, 325
 ciliary processes, 301
 eyes of, 324, 326
 optics, 642
 vision of, 641, 655
Anangiotic retina, 480
Anax, dorsal light reaction in, 74
 optomotor response, 589
Ancala fasciata, eyes of, 222
Angle gamma, 673
 in vertebrates, 676, 677
Anguilla, 46
 colour changes in, 96
 cornea, 295
 growth of eye of, 273
 migration of rods, 614
 optic nerve of, 311
 phototaxis in, 46
 retinal vascularization, 300
 uveal tract, 299
Anguis fragilis, 363
 colour vision in, 629
 conus, 363
 parietal eye, 715, 718
 function of, 719
 visual field, binocular, 682
Aniella, visual cells of, 364
Annelids, 190
 dermal sensitivity in, 114
 eyes of, 190
 light-sense in, 572
 nerve-net, 516
 nervous system, 519, 520
 neuro-endocrine system, 550, 552
See also Polychaetes, Oligochaetes, Leeches.
Annular ligament, characteristics in
 ehondrosteans, 317
 holosteans, 321
 lamprey, 267
 teleosteans, 295
pad, characteristics in
 birds, 409
 chelonians, 372
 crocodilians, 377
 lacertilians, 360, 361
 marsupials, 439
Annular pad, characteristics in
 monotremes, 436
 snakes, 389
Sphenodon, 381
 accommodation and, 649, 650
Anodontia, 201
 dermal sensitivity in, 114, 574
 eyes absent in, 201, 722
Anolis, 361
 bimaculate retina, 365, 366
 colour changes in, 87, 98, 105
 control of, 558
 rhythmic, 20
 vision of, 629
 parietal eye, 717
 transparent eyelids, 366
Alligator, eyelids, 366
 fundus, 361, Pl. VI
argenteolus, eyelids, 367
carolinensis, reproductive cycle in, 17
lucius, eyelids, 367
Anomalops katoptron, luminous organ in, 737, 738
Anopheles, scototaxis in, 60
Anophthalmus, dermal sensitivity in, 114
 eyes lacking in, 724
Anoplura, 218, 220
 eyes of, 221
See also Pediculus.
Anoptichthys jordani, degenerate eyes in, 725
Anser, brain, 533
Anseriformes, annular pad, 409
 infula, 417
 pecten, 412, 414
See also Ducks, *Cereopsis*, etc.
Ant, 219
 eyeless types, 729
 homing of, 68
 menotaxis in, 68
 oeelli, 224
 time-memory in, 22
 vision of, 582, 585
 white. *See* Termites.
Ant-eaters, 445
 banded, 437
 vision of, 601
 giant, 600
 spiny. *See* Echidna.
Antelope, 446
Anterior chamber angle, characteristics in
 birds, 404, 405
 chelonians, 372

- Anterior chamber angle, *characteristics in*
 chondrosteans, 317, **319**
 coelacanth, 315
 crocodilians, 376
 dipnoans, 313
 holosteans, 321
 lacertilians, 359
 marsupials, 439
 placentials, **464**, **465**
 selachians, 285
 snakes, 386
Sphenodon, 380, 381
 teleosts, 303
 urodeles, 347
 pad of lens, in snakes, 389
- Antholoba*, phototactic reaction of, 571
- Anthozoa**, 182
See also Sea-anemone, Cœlenterates.
- Anthrobia**, eyes lacking in, 724
- Anthropoidea**, 443
 area centralis, 485
 colour vision in, 635
 diurnal, 604
 fovea, 659
 nocturnal. *See Nyctipithecus*.
 optic axis, **688**
 orbit, 498
 visual field, binocular, 689
See also Apes, Primates.
- Antilocapra*. *See* Pronghorn.
- Anurans**, 334
 accommodation in, 648
 colour vision in, 627
 eyes of, 334ff., **336**, Pl. III
 lateral line organs, 534
 migration of retinal pigment, 614
 visual cells, 616
 ocular movements in, 694
 pineal organ, 714
 refraction of, 638
 vision of, 599
 visual acuity of, 661
 field, binocular, 682
See also *Hyla*, *Rana*, *Xenopus*, etc.
- Apes**, anthropoid, 443
 ciliary region, **461**, **463**
 Harder's gland, 494
 Moll's gland, 492
 pectinate ligament, **464**
 vision of, 602
 colour, 635
 visual field, binocular, 689
See also Primates, Chimpanzee, etc.
- Aphaniptera**, 219, 220
- Aphid**, 225
 eyes of, 224, 225
- Apis forbesi*, reproductive cycle in, 17
- Apophora spumaria* larva, ocellus of, **140**
- Aphyonus*, degenerate eyes of, 724
- Apis*, 58
 colour vision in, 587, 588
 conditioning of, 583, 588
 cornea, transparency of, 584
 luminosity-curve of, 585
 ommatidial angle of, 172, **173**
 orientation to polarized light, 66, 70
 spectral sensitivity of, 585
 telotaxis in, 56, 58
 vision of, 584, 585
- Aplocheilichthys*, iris, Pl. II
- Apoda**, 333
 eyes, rudimentary, of, 730
 pineal organ, 714
 vision of, 599
- Apodemus*. *See* Mouse, field-
- Apposition eye**, 169, 173
- Apteryx*, 397, **398**, 604
 annular pad, 409
 extinction of, 604
 eyes of, 401
 fundus, 410, Pl. XII
 peeten, 411, **413**, 414
 refraction of, 639
- Apus (Triops)*, 76, **208**
 dorsal light reaction in, **75**
 eyes of, 209
- Aquatic placentals**, **502**
 choroid, 457
 keratinization of cornea, 456
 lacrimal passages absent, 494
 lens, 474
 ocular adnexa, 501
 sclera, 450
 shape of eye, 448
 sphincter muscle, 468
See also Cetaceans, Pinnipedes, etc.
- vertebrates, lateral line, 534
- Aqueous humour**, drainage of, in mammals, 472
 origin of, in cyclostomes and fishes, 267
- Arachnids**, 211
 eyes of, 211
 compound, 160
 inverted retinæ in, **149**

- Arachnids, luminous organs in, 740
 neuro-endocrine system, 552
 vision of, 579
 visual centres, 524
- Araneida, 213
 eyes of, 213
 nervous system, 521
 vision of, 579, 591
- Araneus diadematus*, 214
 eyes of, 213
- Arca*, eyes of, 151, 201
 light-shadow reflex in, 574
- Archiamelids, 190, 193
 ocelli of, 193
- Archicortex, 543
- Archistoma*, eyes of, 221
- Arctocebus*. See Agwantibo.
- Ardea*, 404
goliath, binocular vision, 675
- Area centralis, characteristics in
 amurans, 342
 birds, 417
 chelonians, 374
 crocodilians, 377
 lacertilians, 365
 placernals, 485
 selachians, 288, 289
 teleosts, 309
 function of, 657
 occurrence of, 657
- Arenicola marina*, 190
 diffuse sensitivity of, 191
 eyes lacking in, 729
 larva, tropotaxis in, 52
 visual pigment in, 120
- Argentea, characteristics in
 chondrostearns, 317
 holosteans, 321
 lamprey, 267
Latimeria, 315
 selachians, 285
 teleosts, 296
 function of, 296
- Argyropelecus*, 322
 eyes of, tubular, 323, 324
 luminous organs, 741
 rods, lengthening of, 611
- Arhythmic animals, 603
 eye, characteristics of, 612
- Ariolimax*, optic ganglia, activity of, 524
- Aristelliger*, triple cones in, 308, 364
- Aristeomorpha*, photopigments in, 121
- Armadillidium*, 45
 tropotaxis in, 54
 alteration of response, 45
- Armadillo, 442, 445
 cornea, keratinized, 456
 pineal body absent, 711
 retina, pure-rod, 610
 visual cells, 482
- Arrow-worms, 194
See also Sagitta, Spadella.
- Artemia*, 207
 dorsal light reaction in, 75
- Arteria anastomotica in placernals, 498, 499, 500
- Artery, central retinal, 477
- Arthropods, 204
 blind, 729
 cerebral ganglion, 521
 activity of, 524
 function of, 524
 eyes of, 204ff.
 degenerate, 724, 729
 luminous organs in, 740, 746
 nervous system, 521
 neuro-endocrine system, 550, 552
 vision of, 577
See also Insects, Crustaceans, etc.
- Artiodactyla, 445
 area centralis, 485
 orbit, 497
 pupil, 472
See also Pig, Deer, etc.
- Ascaris*, 187, 190
- Ascidia*, 228
 larva, 228
- Ascidians, 228
 bioluminescence in, 740
 eyes of, 228
 larvæ, eyes of, 228
 nervous system, 519, 530
 vertebrate eye developed from, 245
 nervous system, 519, 530
 neuro-endocrine system, 552
- Asellus*, 207
 conditioning of, 579
 eyes lacking in, 207, 722
- Asio*, infra-red rays and, 630
- Asplanchna*, dermatoptic sensitivity in, 32
- Ass (*Equus asinus*), 446
 corneal epithelium, 452
 corpora nigra, 469
 extra-ocular muscles, 495
 nictitating membrane, 493

- Ass, Somali wild, **686**
See also Equidæ
- Astacus*, **164**
 eyes of, **164**
 nervous system, **521**
- Astaxanthin, **120**
 absorption spectrum of, **120**
 in *Euglena*, **48**
- Asterias*, **185**
 phototactic reaction of, **571**
 visual organs of, **185**
- Astroideia, **184**
See also Starfishes.
- Astroscopus*, **751**
 electric organ of, **751**, **752**
 sclera, **292**
 visual field, binocular, **680**
- Astur palumbarius*, **403**
 ciliary region, **406**
 scleral ossicles, **403**
- Ateles*. *See* Monkey, spider.
- Atherina*, **617**
 colour preference in, **625**
 threshold to light, difference, **617**
- Auditory centre, in vertebrates, **534**
 sense, of bats, **601**
 dog, **601**
 fishes, **598**
 cave-, **726**
 insects, **581**
 spatial judgments and, **667**
- Auks, accommodation in, **643**
 nictitating membrane in, **424**
- Aurelia*, **183**
 phototactic reactions of, **571**
aurita, sense organs, **183**
- Austrolethops*, degenerate eyes in, **726**
- Autochthonous layer of cornea, **295**
- Auxins, **39**, **510**
 isolation of, **41**
- Averna sativa* (oat), phototropism in, **40**, **119**
- Avicula*, **200**
 light-shadow reflex in, **574**
 sense organs, **200**
- Axolotl, **346**
 perception of movement in, **705**
 visual cells, **348**
- B
- β -carotene, **119**
- Baboon, **443**
 Baboon, colour vision in, **635**
 refraction of, **639**
- Bacteria, luminous, **737**, **743**
- Bacterium photometricum*, activity of, **34**
- Badger (*Meles*), **444**, **445**
- Balaena*. *See* Whale, right-.
- Balaenoptera*. *See* Whale, blue.
- Balanoglossus*, **227**
 nerve-net, **515**, **530**
 nervous system, **517**, **530**
 sense organs, **227**
- Balanus*, **209**
 adult, degenerate eyes in, **722**
 larva, eyes of, **209**
 shadow-reflex in, **45**
- Balistes*, fovea of, **310**
- Bandicoot, **441**
 nictitating membrane, **441**
 pupillary flocculi, **439**
- Barathronus*, degenerate eyes, **724**
- Barbatula*, colour preference in, **624**
- Bathothauma*, **203**
 stalked eyes of, **203**
- Bathygobius*, interocular transfer in, **698**
- Bathylagus benedicti*, **310**, **323**
 fovea, **310**, **611**
 visual cells, **305**, **611**
- Bathypterois*, "feelers" in, **724**
- Bathyteuthis*, eyes of, **146**
- Bathytrocytes*, fovea, **310**
 visual cells, **305**
- Batoidei, **279**
 eyes of, **282**
See also Selachians, *Raja*, *Torpedo*, etc.
- Bats, **443**
 eyelids, **491**
 eyes of, **449**
 hearing in, **601**
 lens, **606**
 nictitating membrane, **493**
 ocular movements of, **696**
 optic axis, **688**
 refraction of, **639**
 retina, pure-rod, **610**
 retinal vascularization, **480**
 vision of, **601**
 visual cells, **482**
- Bdellostoma*, eyes of, **263**, **734**
- Bears, **445**
 nictitating membrane, **492**, **493**
 optic axis, **688**
 polar, pupils, **471**
 pupils, **471**

- Bears, retinal vascularization, 479
 sloth-, pupil, 471
 retractor bulbi, 495, 496
- Beaver, 442, 445
 diurnal, 404
 fundus, Pl. XV
 optic axis, 688
 retinal vascularization, 480
- Bees, 219, 220
 brain, 524
 bumble-. *See Bombus.*
 colour vision of, 587
 compound eye, 166
 "dancing" of, 70
 honey-. *See Apis.*
 ocelli of, vision of, 582
 optic centres, 525
 stinging reflex, 526
 telotaxis in, 56, 58
 time-memory in, 22
 vision of, 585
 visual acuity of, 588, 589
- Beetles. *See Coleoptera.*
- Belideus sciureus*, fundus, Pl. XIII
- Belone*, visual field, binocular, 680
- Bengalichthys*, eyes of, 279, 724
- Benthobatis*, eyes of, 279, 723, 724
- Bergmeister's papilla, 477
- Beryx*, 303
 tensor choroideæ, 303
- Betta*, 84
pugnax, colour changes in, 84
splendens, colour vision in, 626
- Bibio marci*, eye of, 161
- Bifoveate retina, in *Anolis*, 365, 366
 in birds, 418
- Bigeminal body, 534
- Binocular vision, 697
 visual fields, 672
- Bioluminescence, 736
 extracellular, 745
 intracellular, 746
 mechanism of, biological, 744
 chemical, 747
 occurrence of, 737
 photoperiodism in, 21
 purpose of, 741
- Birds (Aves), 397
 accommodation in, 651
 brain, 533
 transection of, 534
 cerebral cortex, 543
 removal of, 545
- Birds, ciliary ganglion, 501
 colour changes in, control of, 560
 rhythmic, 21
 seasonal, 21
 vision in, 621, 629
- distance, judgment of, 700, 702
- diurnal, 603
- eyes of, 400, 401ff., 606
 efficiency of, 256
 flightless, extinction of, 604
- fovea, function of, 658
- fundus, Pl. XII
- irides, Pl. XI
- lateral geniculate body, 541
- mid-brain, 535
- migration of, 17, 63
 of cones, 616
 of retinal pigment, 614
- navigation by, 63
- nocturnal, 604
- ocular movements in, 695
- oil-droplets in, 631
- olfactory sense in, 600
- optic lobes, 535
 thalamus, 540
- pineal organ, 716
- pupillary reactions, 700
- refraction of, 639
- reproductive cycle in, 17
 control of, 559
- size, judgment of, 703
- spatial judgments, 702
- summation, retinal, 660
- tectum, 535
- time-memory in, 22
- vision of, 600
- visual acuity of, 662
 fields, binocular, 681, 683, 684
 unocular, 672
 pathways, 539, 544
- Bison, 446
- Bitis arietans*, 392
 visual cells, 391, 392
- Bittern. *See Botaurus.*
- Bivalves, 196
 eyes of, 200
 degenerate, 722
- nervous system, 527
- vision of, 574
- See also Molluscs, Avicula, Mya, etc.*
- Blatta orientalis*, 34
 activity of, 34

INDEX

- Blattella germanica*, photo-responses, conditioning of, 108
phototaxis in, 43, 45, 114
- Blennius*, 310
fovea of, 309, 310
ocular movements, 693
- pholis*, conditioned reflexes and colour vision, 623, 625
- sanguinolentis*, accommodation of, 645
- Blood constituents, diurnal rhythm in, 13, 15
- Blood supply to eye, 482
characteristics in
anurans, 340
birds, 415
crocodilians, 378
lacertilians, 362
lamprey, 266
marsupials, 439
monotremes, 436
placentals, 477, 498
snakes, 390
Sphenodon, 381
teleosts, 299
urodeles, 347
vertebrates, 476
- Blow-fly, blue-bottle. *See Calliphora.*
- Boa. *See Constrictor, Charina, Epicrates.*
- Boar (*Sus scrofa*), 445
- Boidæ, fundus, 389
hyaloid vessels, 390
iris, 387
lens, 389
optic disc, 390
visual cells, 392
field, binocular, 684
- Boiga dendrophila*, iris, 387, Pl. IX
- Bolitotherus cornutus*, retinal pigment, migration of, 19
control of, 556
- Bombyinator igneus*, 339
colour changes in, 84
vision in, 628
pupil of, 339
- Bombus*, 219
mnemotaxis in, 79
vision of, 584
- Bombylius*, 219
colour vision in, 587
- Bombyx*, reactions of, 526
- Bony fishes. *See Osteichthyes.*
- Book-lice, 218
- Borodinula infans*, visual field, 679
- Botaurus*, bifoveate retina, 418
binocular vision, 685
stellaris, 685
- Bovidae, 446
See also Cattle, Sheep, Goat, etc.
- Box*, colour preference, 625
visual field, binocular, 679
- Brachiopods, 195
larvae of, ocelli in, 195
- Brachium tecti, 541
- Bradypus*. *See Sloth, 3-toed.*
- Brain of vertebrates, 533
development of, 531, 532
See also Cerebral ganglion.
- Branchellion*, 193
ocelli of, 193
- Branchiomma vesiculosum*, 192
ocelli, 151, 192
phototropic movements in, 39
- Branchionus*, dermal sensitivity in, 114
ocellus, 194
tropotaxis in, 53
- Branchiopods, 207
eyes of, 209
See also Daphnia, Apus, etc.
- Branchiostoma lanceolatum*. *See Amphioxus.*
- Brittle-stars, 184
bioluminescence in, 739, 746
- Brücke's muscle (ciliary) in birds, 405, 406
in lacertilians, 357
in marsupials, 439
- Bryozoa. *See Polyzoa.*
- B-substance, in amphibians, 98
- Bubo*, accommodation in, 651
eyelids, 425
pecten, 412
summation, retinal, 660
ascalaphus, 606
binocular field of, 681
lacteus, 422
orientalis, iris, 408
tensor choroideæ, 406
- Buccinum*, 197
ocelli, 142, 197
- Bufo*, 334, 341
area centralis, 344
colour blindness of, 628
fundus, 341
arenarium, colour changes in, 97, 558
iris, 337
bufo, iris, 337

- Bufo marinus*, fundus, 341
 iris, 337, Pl. III
viridis, iris, 337
- Bugula*, 46
 phototaxis in, 46
- flabellata* larva, ocelli, 195
- turrila* larva, ocelli, 195
- Bull. *See Cattle.*
- Bullfinch. *See Pyrrhula.*
- Burbot. *See Lota.*
- Burrowing habit, degenerate eyes due to, 728
- Bursalis muscle, in birds, 424
 in lacertilians, 368
- Bush-baby. *See Galago.*
- Bush-cat (*Felis libyca*), ciliary processes, 466
- Buteo*, 417
 bimaculate retina, 417, 418
 summation, retinal, 660
 visual acuity of, 657
- Butterflies, 219, 220
 aggregate eyes in, 159
 colour vision in, 587
 neuro-secretory cells, 555
 retinal pigment migration in, 170
 visual acuity of, 588
- See also Vanessa, Pieris.*
- C
- Cabrita*, eyelids, 366
- Cacatua roseicapilla*, orbits, 425
- Cacicus cela*, iris, 407
- Caddis-flies, 219, 220
 larvae, ocelli, 222
 neuro-endocrine system, 555
- Cæcilia*, eyes, 730
- Cæcilians, 334
 pineal organ, 714
 retina, pure-rod, 610
 rudimentary eyes, 730
- Caiman*, 375
 iris, Pl. VIII
 visual field, binocular, 682
- Calamoichthys*, 278, 320
 eyes of, 320
 retina, pure-cone, 611
- Calanus*, 207
- Caligus*, 208
 eyes of, 209
- Calliactis*, nerve trunk, 516
- Callionymus*, visual cells, 307
- Calliphora*, 219
 electroretinographic responses, 586
 ocellus, 140
 optic ganglia, activity of, 524
 vision of, 584
 visual acuity of, 588
- erythrocephala*, maggot, 50
 phototaxis in, 47, 50
- vomitoria*, telotaxis in, 56
- Calotermes flavidus*, larvae, phototaxis in, 43
 telotaxis in, 56
- Calypte*, bimaculate retina, 418
- Cambarus*, eye-stalk, 523, 553
 nervous system, 522, 524
 neuro-endocrine system, 553
 retinal pigment, migration of, 19
- ayersii*, sensitivity of, 104, 114, 115, 724
- viridis*, metabolic rhythm in, 16
 photopigments in, 121
- Camel (*Camelus bactrianus*), 446
 corpora nigra, 469, 470
 eyelids, 491
 tactile vibrissæ, 492
See also Tylopoda.
- Campanula of Haller, in holosteans, 321, 647
 in teleosts, 302, 646
- Canal of Schlemm, 473
 of Sondermann, 473
- Canidae, 445
 ocular movements, 696
 optic disc, 486
 pupil, 471
 retinal vascularization, 479
See also Dog, Fox, etc.
- Capra*. *See Goat.*
- Caprella*, 207
- Caprimulgus europaeus*, 410
 fundus, 410, Pl. XII
 pecten, 412
- Capsule, lens, in placentals, 474, 653
 variation in elasticity, 652
- Capuchin monkey. *See Monkey, capuchin.*
- Capybara, pupils, 472
- Carassius auratus*, 292
 double cones in, 308
 iris, Pl. II
 phototaxis in, 45
 pigment epithelium, 305

INDEX

- Carassius auratus*
 sclera, 292
 telescope-eyed, **324**
 iris, Pl. II
 visual cells of, **307**
- Carausius*, colour changes, control of, 556
- Carcharodon*, pupils, **286**
- Carcinus*, colour vision in, 578
 eyes of, 163
 metabolic rhythm in, 15
- Cardium*, 200
 accommodation in, 591
 eyes of, 147, 200
- Carinaria*, 199
 eyes of, 199
- Carinatæ*, 397
- Carnivores*, 445
 accommodation, 653
 area centralis, 485
 arrhythmic, 604
 blood supply to eye, 498
 ciliary muscle, 462
 processes, 467
 region, 460, 461, **463**
 circle of Hovius, 472
 colour blindness of, 634
 cornea, 453
 iris pigmentation, 469
 lateral geniculate body, 489
 Moll's glands, 492
 nictitating membrane, 493
 nocturnal, 604
 ocular movements, 696
 optic axis, **688**
 disc, 486
 orbit, 497
 pectinate ligament, 464
 pupil, 470, 471, 472, 612
 reactions of, consensual, 700
 retinal vascularization, 479
 tapetum cellulosum, 459, 609
 vision of, 601
 visual acuity, 663, 664
 field, binocular, 689
 zonular fibres, **475**
- Carotenoid pigments*, 88, 118
 absorption spectra of, **119**
- Carotid circulation*, in placentals, **499**
- Carp.* *See Cyprinus carpio.*
- Cartilage, scleral, characteristics in*
 anurans, 334
 birds, **403**
 chelonians, 369
- Cartilage, scleral, characteristics in*
 chondrostean, 317
 crocodilians, 376
 dipnoans, 313
 holosteans, 321
 lacertilians, 356
Latimeria, 315
 monotremes, 433
Notoryctes (nudiles), 438
 selachians, 281
Sphenodon, 380
 teleosts, 292
 urodeles, 347, 349
 occurrence of, 450
- Cartilaginous fishes. See Chondrichthyes.*
- Cassowary. See Casuarius.*
- Castor. See Beaver.*
- Casuarius*, 397, 406
 pecten, 311, 413
 tensor choroideæ, 406
- Cat (*Felis domestica*)*, 445
 accommodation in, 653
 angle gamma, **676**, **677**
 anterior chamber, **465**
 area centralis, 485
 blood supply to eye, **499**, 500
 chiasma, 487
 colour blindness of, 634
 cornea, 453
 eye of, **449**
 eyebrows, 492
 interocular transfer, 698
 iris pigmentation, 469
 lamina cribrosa, **489**
 Moll's glands, 492
 nictitating membrane, 493
 occipital cortex, removal of, 546
 olfactory sense in, 601
 optic nerve-head, **488**
 pectinate ligament, 464
 pupils, 470, **471**
 contraction of, 612, **613**
 reactions of, 472
 refraction of, 639
 retinal vascularization, **477**, **478**, **481**
 retractor bulbi, 495
 summation, geniculate, 611
 tapetum cellulosum, 457, **458**
 threshold to light, absolute, 617
 vision of, 601
 visual acuity of, 665
 field, binocular, **673**, **687**, 689
 unioocular, **670**, 672

- Caterpillar, 46
 colour changes in, 92
 nervous system, 522
 ocelli, 222
 phototaxis in, 46, 114
 vision of, 582
- Catfishes. *See* Siluridae, *Ameiurus*, etc.
- Cattle (*Bos taurus*), 446
 area centralis, 485
 blood supply to eye, 499, 500
 ciliary ganglion, 501
 colour blindness of, 624, 634
 conjunctiva, 491
 glands of, 491
 cornea, 453
 epithelium of, 452
 lacrimal gland, 493
 Moll's glands, 492
 nictitating membrane, 493
 optic axis, 688
 orbit, 498
 pectinate ligament, 464
 pineal organ, 716
 pupillary reactions, 472
 retinal vascularization, 479
 visual field, binocular, 689
 unioocular, 672
 vitreous, 476
- Caudata. *See* Urodeles.
- Causus rhombatus*, visual cells, 391
- Cave-fishes, 725
 degenerate eyes in, 725
 dermal sensitivity, 114
- Cavernicolous habit, degenerate eyes due to, 724
- Cavia*. *See* Guinea-pig.
- Cavy, Patagonian, diurnality of, 604
 pupil, 472
 spotted, optic axis, 688
 tapetum fibrosum, 458, 609
See also Guinea-pig.
- Cayman. *See* Caiman.
- Cebidae, 443
See also Monkey, capuchin; *Nyctipithecus*, etc.
- Cebus*. *See* Monkey, capuchin.
- Cells of Hesse, 230
 of Joseph, 229
- Centipedes, 210
 eyes of, 210
See also Myriapods.
- Central body, in arthropods, 521
 nervous system, 530
- Central organization of vision, 509
Centrophorus calceus, pupils, 286
Centrostephanus longispinus, 117
 pigment in, 117
- Cephalaspis*, 234
 eyes of, 238
 pineal organ, 713
- Cephalochordata, 228
See also *Amphioxus*.
- Cephalopods, 196
 accommodation in, 590
 blind, 723
 cerebral ganglion, 528
 chromatophores, 85, 86
 colour changes in, 82, 93, 105
 eyes of, 143, 201
 degenerate, 723
 iris, contraction to light, 89
 luminous organs in, 740
 nervous system, 527
 neuro-secretory cells, 552
 pupils, 146
 contraction of, 89
 retina, 145
 vision of, 575
See also *Octopus*, *Sepia*, *Nautilus*, etc.
- Cephalopsin, 120
- Cerambycidæ, eyes of, 160
- Ceratopogon*, eye of, 224
- Cerocebus*. *See* Mangabey.
- Cerebral cortex, 543
 ablation of, 545
- Cerebral (cephalic) ganglion, 518
 in arthropods, 521, 522, 525, 526
 activity of, 524
 function of, 524
 removal of, 525
 molluses, 527
 worms, segmented, 519, 520
 unsegmented, 518, 519
 vesicles, 531, 532
- Cereopsis*, annular pad, 409
 pecten, 412
- Cervus porcinus*, fundus, Pl. XIV
- Cestodes, 187
 nervous system, 519
 sense organs lacking in, 734
- Cetaceans, 446
 choroid, 457
 cilia lacking, 492
 ciliary receptor organs, 467
 cornea, 453
 keratinized, 456

- Cetaceans, dilatator rimæ palpebrarum, 492
 eyes of, 449, 451
 lacrimal passages lacking, 494
 secretion, 493
 lens, 474
 ocular adnexa, 502
 pineal apparatus absent, 711
 pupil, 472
 operculum of, 470
 refraction of, 639
 retina, pure-rod, 610
 retractor bulbi, 495
 sclera, 450, 451
 sphincter muscle, 468
 summation, retinal, 660
 tapetum fibrosum, 457, 458, 609
 vibratory sense in, 601
 vision of, 601
 visual cells, 483
- Cetomimus*, degenerate eyes, 724
- Cetonia*, 219
 colour blindness of, 586, 587
- Chaetognaths, 194
 eyes of, 152, 194
 See also Sagitta, Spadella.
- Chaetopterus*, bioluminescence in, 739, 745
- Chameleon, 355, 695
 annular pad, 361
 ciliary body, 356
 colour changes in, 87
 control of, 558
 rhythmic, 20
 conus, 363
 eyelids, 366
 eyes of, 605
 fovea, 365, 659
 fundus, 362, Pl. VI
 lacrimal gland lacking, 368
 lens, 360
 ocular movements of, 368, 694
 scleral cartilage, 356
 spatial judgments, 701
 vision of, 599
 visual acuity, 657, 661
 field, unioocular, 670, 671
- Chanos*, lids in, 311
- Charax*, colour preference in, 625
- Charina*, ciliary region, 385
- Charybdea*, 183
 ocellus of, 138
- Cheetah, 445
- Chelodina longicollis*, fundus, 372
 transparent eyelids, 374
 visual cells, 373
- Chelonia mydas*, conus, 372
 eye of, 354
- Chelonians, 353
 accommodation in, 651, 652
 colour preference, 628
 eyes of, 368ff., 370, Pl. VII
 ocular movements of, 694
 pineal organ, 716
 refraction of, 639
 retina, cone-rich, 612
 retinal pigment, migration of, 614
 threshold to light, difference, 618
 vision of, 599
 visual acuity of, 661
 field, binocular, 682
- Chelonidae, 369
- Chelydra serpentina*, conus, avascular, in embryo, 372
 fundus, 372
 visual cells of, 374
 field, binocular, 682
- Chemical sense of crustaceans, 579
Dytiscus, 103, 104
 fishes, 598
Pecten, 103
 vertebrates, 597
 worms, 572
- Chemo-receptors, 116
- Chemotaxis, 33
- Chevrotain (*Tragulus*), 444, 446
- Chiasmal decussation, 487, 697, 698
 in birds, 423
 placentals, 487
 selachians, 289
 snakes, 392
 teleosts, 311
- Chicken. *See Gallus.*
- Chilopoda, 210
 eyes of, 210
 See also Myriapods.
- Chimæra monstrosa*, 290
- Chimæras, eyes of, 290
 retina, pure-rod, 610, 611
 threshold to light, absolute, 616
- Chimpanzee, 443
 colour vision in, 635
 cornea, 453
 extra-ocular muscles, 495
 eye of, 605
 interocular transfer, 698

- Chimpanzee, vision of, 602
 visual acuity of, 665
- Chinchilla, 445
 optic axis, 688
 pupil, 470, 472
 retina, pure-rod, 610
 vascularization of, 480
 visual cells, 483
- Chipmunk, pupils, 472
- Chironomus*, nervous system, 522
- Chiroptera. *See* Bats.
- Chiton*, 196
 homing ability of, 575
 photosensitivity of, 197
 sense organs of, 196, 723
- Chlamydosaurus*, 356
 colour changes in, 84
- Chlorophyll, 5
- Choanoid muscle. *See* Retractor bulbi.
- Choloepus*. *See* Sloth, 2-toed.
- Chologaster*, eyes of, 726
- Chondrichthyes, 235, 278
 eyes of, 279
See also Selachians, Holocephalians.
- Chondrosteans, 235, 278
 accommodation lacking in, 640
 choroidal tapetum, 609
 eyes of, 315, 318
 nocturnality of, 603
See also *Acipenser*, Polypterini
- Chordates, 227
 central nervous system, 530
See also Protochordates, Vertebrates.
- Choroid, characteristics in
 anurans, 335
 birds, 404
 chondrosteans, 317
 dipnoans, 313
 holosteans, 321
 lacertilians, 356
 lamprey, 266
Latimeria, 315
 marsupials, 438
 placentials, 457
 selachians, 281
 snakes, 385
Sphenodon, 380
 teleosteans, 296
 urodeles, 347
- Choroidal gland of holosteans, 321
 of teleosts, 297, 298
 papilke, in bats, 459
- Chortippus*, optic ganglia, activity of, 524
- Chromatoblasts, 117
- Chromatophores, 85
 action of light on, 89
 control of, 92
 in crustaceans, 94, 554
 insects, 93, 555
 vertebrates, 95, 558
- Chromatophorotropins, 93, 554, 555
- Chrysemys*, area centralis, 374
 conus, 372
 iris, 370, Pl. VII
- Chrysocloris*. *See* Mole, golden.
- Chrysops marmoratus*, visual cell of, 128
- Chrysotis*, green oil-droplets, 420
- Cichla*, 291
- Cicindela*, larvæ, form vision in, 582
- Ciconiiformes, annular pad, 409
See also *Ardea*, *Botaurus*, etc.
- Cilia, in light-sensitive cells, 128
 rhythmic movements of, 511
 (eyelashes), in mammals, 492
- Ciliary canal. *See* Ciliary cleft.
 cleft, in birds, 405
 in mammals, 461, 466
 folds, in selachians, 285
 ganglion, in vertebrates, 501
 ligament. *See* Tensor choroideæ.
 muscle, characteristics in
 amphibians, 335
 birds, 405
 chelonians, 372
 crocodilians, 376
 lacertilians, 357
 marsupials, 438
 placentals, 461
Sphenodon, 380
 teleosts, 302
 accommodation and, 650
 configuration of, 654
 occurrence of, 654
- papilla, in chondrosteans, 317
 in selachians, 284, 285, 647
- processes, characteristics in
 anurans, 336
 birds, 405
 chelonians, 372
 crocodilians, 376
 marsupials, 438
 monotremes, 433
 placentals, 466
 selachians, 284
 urodeles, 347
- receptor organs, 467

- Ciliary region, *characteristics in*
 anurans, 335, **338**
 birds, **403**, 405, **406**
 chelonians, **361**, 372
 chondrostearns, 317
 crocodilians, 376
 lacertilians, 356, **358**
Latimeria, 315
 marsupials, 438, **439**
 monotremes, 433, **434**
 placentals, 460, **461**
 selachians, 283
 snakes, 385, **388**
Sphenodon, **380**
 teleosts, 301
 urodeles, 347
 roll, in snakes, 386, **388**
 sinus. *See Ciliary cleft.*
 venous plexus, in placentals, 472, **473**
 sinus, *characteristics in*
 anurans, 336
 birds, 408
 chelonians, 372
 crocodilians, 376
 lacertilians, 359
 marsupials, 439
 monotremes, 435
 snakes, 386
Sphenodon, **380**
See also Schlemm's canal.
 web, in monotremes, 435
Ciliata, 180
Ciliophora, 180
Cilio-scleral sinus. *See Ciliary cleft.*
Cinxixis erosa, fundus, Pl. VII
Ciona, pigmented spots in, 228
 Circle of Hovius, 472
Circulus arteriosus iridis major, 468
 minor, 468
Circum-ocular sulcus, of teleosts, 311
Circum-aesophageal ring, in crustaceans,
521
 insects, **521**, **522**
 molluses, 527
Circus movements, **54**, 525
Cirripedes, 208
 eyes of, 209
 vestigial, in adults, 209
 nauplius of, 208
 eyes of, 209
 nervous system, 521
Cirrothauma murrayi, eyes lacking in, 723
Cistella, larva, ocelli in, **195**
- Citellus citellus*. *See* Souslik.
Civet cat, 444, 445
Cladocera, 207
 conditioning of, 578
 orientation to polarized light in, 73
 phototactic response of, 578
See also *Daphnia*, *Polyphemus*, etc.
Cladophora, eye-spot in, 125
Clemmys, 682
 iris, 370
 visual field, binocular, 682
Clethrionomys. *See* Vole, red-backed.
Clupea harengus, 299
 falciform process, 299
 larvae, activity of, 34
pilchardus, visual cells of, 307
Clupeidae, adipose lids in, 311
See also *Clupea*, *Engraulis*, *Chanos*.
Cnidaria, 182
Coati, 444, 445
 pupils, 472
Cobra, 386
See also *Elapidæ*, *Naja*.
Cochlea, 534, 690
Cockle. *See* *Cardium*.
Cockroach, 218, 220
 nocturnality of, 34
 vision of, 584
See also *Blattella*, *Blatta*, *Periplaneta*.
Cod. *See* *Gadus*.
Cœlacanth, 235, **278**, **315**
 accommodation lacking in, 640
 choroidal tapetum, 609
 eyes of, 314, **316**
 nocturnality of, 603
 retina, rod-rich, 610
Cœlenterates, 181
 bioluminescence in, 739, 745, 748
 rhythmic, 22
 myo-epithelial cell, **513**
 nerve-net, 512, 514, **515**
 phototactic reactions of, 571
 sense organs of, 182
Colaptes, choroid, 405
auratus, 420
 green oil-droplets, 420
Coleonyx, rods of, **364**
Coleoptera, 219, 220
 eyes of, 167, **224**
 larvae, ocelli of, 141, 223
 luminous organs in, 740, **742**, 748
 neuro-endocrine system, 555
See also *Dytiscus*, *Necrophorus*, etc.

- Collembola, 217, 218
 luminous organs in, 740
 ocelli, 159, 221
- Colliculi, inferior, 534
 superior, 534
- Colælus monedula*, iris, Pl. XI
- Colour changes, 82
 colour vision and, 621, 625
 control of, 92
 in crustaceans, 554
 insects, 555
 vertebrates, 558
- demonstrative, 83
- mechanism of, 85
- protective, 82
- rhythmic, 19
- preference, 623
- vision, in cephalopods, 575
 crustaceans, 578
 insects, 586
 spiders, 580
 vertebrates, 619
 in amphibians, 627
 birds, 629
 cyclostomes, 624
 fishes, 624
 mammals, 632
 reptiles, 628
 investigation of, 620
 methods of testing, 621
- Coluber guttatus*, fundus, 389
 iris, 386
 visual field, binocular, 684
- Colubrids, retina, pure-cone, 611
 visual cells, 391, 392
 field, binocular, 684
- Columba*, 64
 colour vision in, 630
 conditioning in, 663
 decerebrate, reactions of, 545
 eye of, 605
 hue discrimination in, 619
 interocular transfer, 698
 iris, 407, 408, Pl. XI
 lens, 409
 ocular movements in, 692
 pecten, 414
 pineal organ, 716
 pupillary reactions, consensual, 700
 Purkinje phenomenon in, 629
 retina, 417
 threshold to light, difference, 618
 transversalis muscle, 407
- Columba*
 visual acuity of, 662, 665
 field, binocular, 682, 684
 unocular, 672
livia, iris, 408
See also Homing pigeon.
palumbus, pecten, 413
- Columbidae, eyes of, 402
See also *Columba*, *Streptopelia*, etc.
- Comb-jelly, 182
 bioluminescence in, 739
 sense organs of, 182
- Compound eyes, 153
 composite, 160, 591
 of crustaceans, 160
 of insects, 160
 development of, 156
 optical system of, 170
 structure of, 155, 157
 of arachnids, 160
 crustaceans, 163
 insects, 166
- Compressor lentis, in birds, 651
- Conditioned reflexes, 568
 colour vision and, 623
- Cone, crystalline, 157
- Cones (vertebrate), 250
 differentiation from rods, 251
 double, 253
 in anurans, 342, 344
 birds, 419
 chelonians, 374
 holosteans, 321, 322
 lacertilians, 364
 marsupials, 440, 441
 platypus, 436
 Protopterus, 313, 314
 snakes, 391, 392
 teleosts, 307, 308
 urodeles, 348
- quadruple, 253
 in teleosts, 308
- triple, 253
 in anurans, 342, 344
 lacertilians, 364
 teleosts, 308
- twin, 253
 in teleosts, 307, 308
- Coney. *See* Hyrax.
- Conjunctiva, in mammals, 491
- Conjunctival bone, in sturgeon, 317
- Conolophus subcristatus*, conus, 363
 fundus, 361, 362, Pl. VI

- Consciousness, emergence of, 108
Constrictor, ciliary region, 385
 venous sinus, 386
 visual field, binocular, 684
 Contractile pupils, occurrence of, 612
Conus papillaris, in crocodiles, 378
 lacertilians, 362
 avascular, in embryo turtles, 372
 vestigial, in marsupials, 440
 Coot. *See Fulica.*
 Copepods, 207
 eyes of, 209
 luminous organs in, 740, 746
Copilia, 209
 accommodation in, 591
 eyes of, 159, 160, 209
 vision of, 578
 Copperhead snake, 387
 posterior segment of eye, 387
Cordylosaurus, transparent eyelids of, 366
Corephium, sense organs of, 196
 Cornea, characteristics in
 amphibians, 334
 Anableps, 324
 birds, 404
 chelonians, 369
 chondrosteans, 317
 cœlacanths, 315
 crocodilians, 376
 dipnoans, 312
 fishes, 276
 holosteans, 321
 lacertilians, 356
 lamprey, 265
 marsupials, 438
 monotremes, 433
 placentals, 452, 453
 selachians, 281
 snakes, 385
 teleosts, 294
 yellow, occurrence of, 656
 Corneal facet, 157
 nerves in mammals, 454, 455
 Cornealis muscle, in lamprey, 271
 and accommodation, 645
 Corpora nigra, 469, 612
 Corpus allatum in insects, 555
 cardiacum in insects, 555
 Corvidæ, eyes of, 402
 See also Corvus.
Corvus monedula, iris, 408
 visual acuity of, 663
 Corycæus, 209
Cottus, cornea of, 295
 bubalis, eye of, 302
 Cow. *See Cattle.*
 Coypu, 445
 optic axis, 688
 pupils, 472
 Crabs, 206
 eyes of, 206
 nervous system of, 521
 sexual cycle, control of, 555
 See also Decapods, Carcinus, etc.
Crago (Crangon) vulgaris, 205
 colour changes in, 94
 vision in, 578
 eyes of, 165, 206
 ommochromes in, 123
 Crampton's muscle, in birds, 405,
 406
 in lacertilians, 357
 Crane. *See Grus.*
 Crane-flies, eyes of, 167
 Crayfish, 206
 eyes of, 164, 206
 sexual cycle, control of, 555
 See also Crustaceans, Astacus, etc.
Crenilabrus, colour changes and colour
 vision, 625
 rostratus, dorsal light reaction, 76
 Crepuscular animals, 602
 Cibriform ligament, 461
Cribrina, phototactic reaction of, 571
 Crinoidea, 184
 Crocodile tears, 379
 Crocodilians, 353, 375
 accommodation in, 651, 654
 eyes of, 376 *ff.*, Pl. VIII
 ocular movements of, 694
 pineal organ, 716
 pupils, contractile, 612
 Purkinje shift in, 628
 refraction of, 639
 retinal pigment, migration of, 614
 tapetum, 608
 vision of, 599
 visual acuity of, 661
 field, binocular, 682
Crocodilus, 378
 porosus, lacrimal glands, 379
 selerops, eye of, 354
 Crossopterygii, 234, 235
 central nervous system, 532
 See also Dipnoans.

- Crotalidæ, facial pit, 599, 600
 visual cells, **391**, 392
- Crotalus*, olfactory sense in, 599
See also Crotalidae.
- Crotaphytus*, cones, **364**
- Crustaceans, 206
 blind, 722, 724, 734
 cerebral ganglion, 521
 removal of, 525
 colour changes in, 82, 91, **94**
 control of, 554
 rhythmic, 20
 compound eyes of, 163, 206
 conditioning of, 579
 deep-sea. *See* Deep-sea Crustaceans.
 eyes of, 206
 degenerate, 722, 723, 725
 eye-stalk, **523**
 neuro-secretory cells in, 551, **553**
 luminous organs in, 740, 744, 745, 748
 metabolic rhythms in, 15
 control of, 555
 nervous system, **521**
 neuro-endocrine system, 552, **553**
 ornochromes in, 123
 retinal pigment migration in, 165
 control of, 554
 rhythmic, 19
 spectral sensitivity of, 585
 time-memory in, 22
 vision of, 578
 visual centres, 524
 pigments in, 121
- Cryptobranchus*, eyes of, 349
- Cryptotympana*, ocelli, vision of, 582
- Crystalline cone, 157
 lens. *See* Lens.
- Ctenophora, 182
 luminescent, **739**
- Cuckoo, migration of, 18
- Culex*, scototaxis in, 60
- Cupulate eyes, 137
- Cuttlefish, 85, 196
 colour changes in, 85, 93
 eyes of, 143, 201
See also Sepia.
- Cyanocitta*, 414
 peetens, **413**, 414
- Cyanopsin, 122
- Cybernetics, 106
- Cyclodoriippa*, degenerate eyes of, 723
- Cyclops*, 152
 composite ocellus of, 152, 208
- Cyclosa insulana*, camouflage, 83
- Cyclostomes, 259
 accommodation in, **644**
 brain, **533**
 transection of, 534
 central nervous system, 532
 colour changes in, 95
 control of, 558
 rhythmic, 20
 vision in, 624
 dermal sensitivity in, 114
 diurnality of, 603
 eyes of, 259
 degenerate, 734
 fore-brain, 543
 removal of, 545
 labyrinths, 534
 lateral geniculate body, 541
 mid-brain, 535
 ocular movements of, 691
 optic thalamus, 539
 palaeocortex, 543
 parietal eye, 713, 716, **717**
 pineal eye, 713, 716, **717**
 refraction of, 638
 secretory mechanism of, 267
 tectum, 534
 telencephalon, 543
 vision of, 598
 visual field, binocular, 678
 pathways, **535**, 543
 pigments in, 121
- Cymonomus*, degenerate eyes of, 723
- Cynictis*, diurnality of, 604
 pupil, 472
 tapetum lacking, 459, 609
- Cynomys*. *See* Prairie-dog.
- Cypridina*, 207
 bioluminescence in, 746
 composite ocellus of, 152
- Cyprinidae, **291**
 cornea, 294
 retinal tapetum, 305, 612
See also *Cyprinus*, *Carassius*, *Phoxinus*.
- Cyprinus carpio*, **291**
 colour vision in, 625
 cornea, **294**, 295
 falciform process, 299
 iris, 303
 ocular movements, 693
 visual field, binocular, 679

Cypris (Cypria), 152, 208
composite ocellus of, 152
Cystoflagellates, 180

D

Dacelo gigas, pecten, 413
Dafila acuta, visual acuity, 663
“Dancing” of bees, 70
Daphnia, 74, 208
composite ocellus of, 152, 209
compound eye of, 163, 209
conditioning of, 578
dermatoptic sensitivity in, 32, 114, 578
dorsal light reaction in, 74
Darwin, Charles, 2, 3
Dasychone, ocelli of, 192
Dasyptelis, 392
visual cells, 392
Dasypodidae, 445
Dasyurus. *See* Armadillo.
Dasyure, 437, 438
ciliary muscles, 439
pupils, 439, 612
tapetum fibrosum, 438, 609
visual cells, 440
Daſyuridae, 437
See also Dasyure, Tasmanian devil, etc.
Decapods, 206
eyes of, 206
nervous system, 521, 524
Decussation. *See* Chiasmal decussation.
Deep-sea crustaceans, eyes of, degenerate,
 207, 723
 enlarged, 207
 luminous organs in, 740, 742
fishes, eyes of, degenerate, 292, 723
 enlarged, 273, 281, 292, 323, 606,
 723
 stalked, 327
 tubular, 277, 322, 606
 optics of, 642, 643
 luminous organs in, 741, 746
pupils, 286
refraction of, 638
retina, pure-rod, 310, 610
tapetum, retinal, 608
threshold to light, 674
visual acuity of, 657
 cells, 305, 643
 field, unocular, 670
molluscs, eyes of, degenerate, 723

Deep-sea molluscs, eyes of, stalked, 203
 tubular, 203
 luminous organs in, 740, 742
Deer, 446
 cornea, 453
 eyelids, movements of, 491
 Harder's gland absent, 494
 nictitating membrane, 493
 optic axis, 688
 visual acuity of, 664
Degenerate eyes, 721
Deiters' nucleus, 534
Delphinus. *See* Dolphin.
Demodex folliculorum, 216
Dendrocælum, 188
 klinokinesis in, 36, 37
 ocelli of, 136, 188
Dendrocopos major, 414
 pecten, 414
Dendrocygna, iris, 407, 408, Pl. XI
Dentalium, 197
 eyes lacking in, 729
 statocysts of, 197
Depressor corneæ. *See* Crampton's
 muscle.
palpebrae inferioris, in elephant, 492
Depth perception, 667
Dermaptera, 218, 220
See also *Forficula*.
Dermatopsia, 114
Dermatoptic sensitivity, 32, 113
 of echinoderms, 184
 of rotifers, 194
Dermochelys coriacea, 369
 scleral cartilage, 370
Dermoptera, 443
Descartes, René, 710, 712
Desman, 441, 443
Desmid, 35
 response to light, 35
Desmodus. *See* Vampire bat.
Deuterocerebrum, in arthropods, 521
Diadema antillarum, 185
 colour changes in, 89, 90
 rhythmic, 20
 dermal sensitivity in, 114, 185
 iridophores in, 184
 phototropic movements in, 39
 setosum, iridophores in, 185
Dia-heliotropism, 38
Diatomus fuscus, double cornea, 325
Diatom, 35
 colour changes in, 82, 89

- Diatom, response to light, 35
Dictyostelium discoideum (slime-mould), thermal stimulation in, 36
 Didelphyidae, 437
Didelphys. See Oposum, Virginian.
 Diencephalon, 532, 537
 photosensitivity in, 537
 pineal apparatus and, 711
 secretory activity, 537
 Dilatator pupillae, *characteristics in*
 anurans, 337
 birds, 407
 lacertilians, 357
 placentals, 468
 selachians, 285
 snakes, 388
 Sphenodon, 381
 teleosteans, 303
 rimæ palpebrarum, in cetaceans, 492
Dineutus, eyes of, 160
 assimilis, circus movements in, 54
 grossus, 224
 Dinoflagellates, 179, 180
 bioluminescence in, 738
 rhythmic, 22
 eye-spot of, 126
Dinophilus, ocelli of, 193
 Dinosaurs, 234, 236
Diomedea cauta, 418
 fundus, Pl. XII
 infula and fovea, 418, 420
 Diplopoda, 210
 Dipnoans, 235, 278
 accommodation lacking, 640
 central nervous system, 532
 eyes of, 312, 313
 nocturnality of, 603
 pineal body, 714
 Diptera, 219, 220
 accommodation, static, in, 591
 eyes of, 160, 222, 223
 luminous organs in, 740
 nervous system, 521, 522
 neuro-endocrine system, 555
 See also Drosophila, Sarcophaga, Musca, etc.
 Directional eye, 132, 135
 Discrimination box, 569
Dispholidus, visual field, binocular, 684
 Distance, perception of, in insects, 589
 in vertebrates, 701
 receptors, 116
 Diurnal animals, 602
 eye, characteristics of, 611
 retina of, 610, 611
 rhythms. *See Photoperiodism.*
Dixippus, 218
 colour blindness of, 587
 changes in, 88, 93
 control of, 556
 rhythmic, 20
 metabolic rhythm in, 15
 Dodo, 604
 extinction of, 604
 Dog (*Canis familiaris*), 445
 accommodation in, 653
 angle gamma in, 677
 area centralis, 485
 blood supply to eye, 498, 499
 cerebral cortex, 543
 removal of, 545
 chiasma, 487
 choroid, shunt apparatus, 460
 ciliary region, 461, 463
 circle of Hovius, 472
 colour blindness of, 634
 conditioned reflexes and, 623
 conjunctiva, 491
 cornea, 453
 epithelium of, 452
 extra-ocular muscles, 496
 Harder's gland, 494
 hearing of, 601
 lacrimal passages, 494
 lens, 474
 Moll's glands, 492
 movement, perception of, 705, 706
 nictitating membrane, 493
 occipital cortex, removal of, 546
 olfactory sense in, 601
 optic axis, 688
 pectinate ligament, 464
 pigment epithelium, 459, 608
 pupils, 471
 reactions of, 472
 refraction of, 639
 retinal vascularization, 477, 478
 retractor bulbi, 495, 496
 tapetum cellulosum, 457, 459
 threshold to light, difference, 618
 visual acuity of, 664
 field, binocular, 689
 Dogfishes, 279
 eyes of, 282
 See also Mustelus, Squalus, etc.

INDEX

- Dolichopteryx*, tubular eyes in, 324
Dolphin, 44, 446
 cornea, 453
 keratinized, 456
 ocular adnexa, 502
 pineal body absent, 711
Dormouse, choroid, 457
 pupils, contractile, 612
 retinal vascularization, 482
 visual cells, 483
Dorsal light reaction, 74
Dorylus, 221
 eyes lacking in, 729
Dragon-fly, 74
 compound eyes of, 172, 222
See also Anax, Aeschna.
Drainage channels in mammals, 472, 473
Drepanophorus, ocellus of, 134
Driver ant, 221, 729
 eyes lacking in, 729
Dromæus, 397
Dromedary (*Camelus dromedarius*), 446
See also Tylopoda.
Drosophila, 44
 colour vision of, 587
 dermal sensitivity in, 114
 electroretinographic responses, 586
 ommochromes in, 123
 optomotor reaction in, 583
 phototaxis in, 44, 45
 spectral sensitivity of, 585
 telotaxis in, 56
 time-memory in, 22
 vision of ocelli of, 582
 visual acuity of, 588
Dryophiops, pupils, 388
Dryophis, fovea, 388, 392
 pupils, 388, 674
 visual field, binocular, 682
Ducks, diving, accommodation in, 643
 ciliary muscles, 407
 nictitating membrane, 424
 gonadotropic activities of, 18
 nervous control of, 537, 560
 visual fields of, 685
See also Dafila, Dendrocygna, etc.
Dugong, 446
 pineal organ absent, 711
 retinal vascularization, 480
Dytiscus marginalis, 168
 brain, 524
 eyes of, 168, 172

- Dytiscus marginalis*
 larva, dermal sensitivity in, 114
 ocelli of, 221
 optic ganglion, activity of, 524
 sensory reactions of, 103, 588
 vision of, 584

E

- Eagle*, accommodation in, 651
 bald. *See Haliaëtus.*
 bifoveate retina, 417, 418
Chilean. *See Geranoaëtus.*
 visual field, binocular, 684
Earthworm, 190
 bioluminescence in, 745
 eyes of, 190
 tropotaxis, 53
 visual cells, 131
See also Lumbricus.
Eccentric cell in compound eyes, 158
Echidna, 430, 431
 ciliary processes, 433
 body, 434
 eye of, 432
 fundus, Pl. XIII
 optic axis, 688
 retina, 435
 pure-rod, 610
 scleral cartilage, 433
Echinoderms, 183
 colour changes in, 82, 90
 rhythmic, 20
 dermal sensitivity, 114
 luminescent, 739
 nerve-net, 515
 nervous system, 516
 origin of vertebrates through, 233
 phototactic reactions of, 571
 sense organs of, 184
Echinoidea, 184
Edentates, 445
 nictitating membrane, 493
 ocular movements of, 696
 optic axis, 688
 refraction of, 639
 vision of, 601
Eels, retina, 299, 301
 snipe-. *See Borodinula.*
 visual cells of, 307
See also Anguilla.
Eisenia foetida, conditioning of, 573
 tropotaxis in, 53

- Elaphe quadrivittata*, iris, 387, Pl. IX
quatorlineata, iris, 387, Pl. IX
- Elapidæ*, iris, 386
 visual cells, 392
- Elaps*, pupil, 388
- Elasmobranchs*. *See* Chondrichthyes.
- Elaterid* beetles, bioluminescence in, 736, 740
- Electric organs in fishes, 751
- Electrophorus*, electric organ of, 751
- Electroretinographic responses, and colour vision, 622
- Eledone*, 146
 eye of, 146
- Elephants*, 446
 African, 446
 cilia lacking in, 492
 eyelids, movements of, 491, 492
 eyes of, 450
 immobility of, 497, 696
- Indian, 446
 ciliary processes, 466
 eye of, 447
- lacrimal passages lacking in, 494
- optic axis, 688
- orbit, 497
- retinal vascularization, 480
- selera, 450
- tapetum fibrosum, 458, 609
- visual fields, 689
- Zeis's glands, 491
- Elephas maximus*. *See* Elephant, Indian.
- Eliomys*. *See* Dormouse.
- Ellobius*, degenerate eyes of, 733
- Elysis viridis*, monotaxis in, 61
- Embioptera*, 220
- Empletonema kandui*, bioluminescence in, 739, 746
- Emu*. *See* *Dromæus*.
- Emyda*, fovea, 374
 transparent eyelid, 374
- granosa*, fundus, 372, Pl. VII
- Emys*, scleral ossicles, 369
- orbicularis*, area centralis, 374
 iris, Pl. VII
- Enchelophis jordani*, 735
 eyes of, 735
- pupils, 304, 612
- selera, 292
- Engraulis*, lids in, 311
- Entosphenus*, visual cells of, 269
- Ephemeroptera*, 218, 220
 accommodation, static, in, 591
- Ephemeroptera, eyes of, 160
- Ephesia*, larva, tropotaxis in, 52, 53
- Epicrates*, lens, 389
- Epinephelus*, 92
 colour changes in, 92
- Epiphysis. *See* Pineal organ.
- Epomophorus*, choroidal papillæ, 459
- Eptatretus*, degenerate eyes in, 734
- Equidae*, 446
 ciliary ganglion, 501
 cornea, 453
 corpora nigra, 469
 optic disc, 486
 pupil, 472
See also Horse, Ass, Zebra.
- Erax rufibarbis*, telotaxis in, 56
- Eremias*, transparent eyelids of, 366, 367
- Ericymba*, visual cells of, 305
- Erinaceus*. *See* Hedgehog.
- Eristalis*, telotaxis in, 56
 tropotaxis in, 55
- Eriothacus*, visual acuity of, 663
 visual responses of, 664
- Ermine, colour changes in, 21
 pupil, 472
- Errantia*, 190
- Erythrommatin*, 123
- Erythrophores*, 88
- Eryx*, ciliary venous sinus, 386
- Esocidæ*, cornea of, 294
- Esox lucius*, cornea of, 295
 eye of, 275
 visual field, binocular, 679
- Etmopterus*, eyes of, 281
 pupil, 286
 threshold to light, absolute, 616
 visual cells, 288, 290, 611
- Eucalia*, threshold to light, difference, 617
- Eucone eye, 167
- Eudendrium* hydroid, phototropic movements of, 39
 pigment in, 120
- Eudiptes cristatus*, 408
 iris, 408, Pl. XI
- Euglena*, 179, 180
gracilis, eye-spot, 126
virilis, eye-spot, 126
 klinotaxis in, 45, 48, 49
 pigment in, 120
 migration of, 85, 89
 spectral sensitivity of, 120
- Eunice*, ocelli of, 191

INDEX

- Eupagurus*, 58
 orientation to polarized light in, 73
 telotaxis in, 56, 58
- Euphagus cyanocephalus*, iris, 408
- Euphausiopsin*, 121
- Eupolyodontes*, ocelli of, 192
- Euproctis*, larva, phototaxis in, 46
- Eurypterids, 157
 eyes of, 157
 origin of vertebrates through, 233
- Euselachii*, 279
 eyes of, 282
- Eutheria. *See* Placentals.
- Evarcha blanardi*, 580
 vision of, 580
- Evermannella*, tapetum, non-occlusible, 305, 608
 tubular eyes in, 324
- Exocone eye, 168
- Extra-ocular muscles. *See* Muscles.
- Eyebrows, in mammals, 492
- Eyelids, characteristics in
 anurans, 344
 birds, 423
 chelonians, 374
 crocodilians, 378
 lacertilians, 366
 monotremes, 436
 placentals, 491
 selachians, 289
 snakes, 392
 teleosteans, 311
 urodeles, 349
 movements of, in vertebrates, 491
- third. *See* Nictitating membrane.
- Eyes, characteristics in
 invertebrates, 125
 arachnids, 160, 211
 brachiopods, 195
 chaetognaths, 194
 coelenterates, 182
 crustaceans, 163, 206
 echinoderms, 185
 insects, 166, 220
 molluscs, 196
 myriapods, 210
Peripatus, 204
 polyzoa, 194
 rotifers, 194
 worms, 188, 190
- protochordates, 227
- vertebrates, 248
 amphibians, 333
- Eyes, characteristics in
 anurans, 334
 urodeles, 346
 birds, 397
 cyclostomes, 259
 ammocoete larva, 261
 lamprey, 263
- fishes, 273
 chondrostean, 315
 cecelacanths, 314
 dipnoans, 312
 holocephalians, 290
 holosteans, 321
 selachians, 279
 teleosts, 291
- mammals, 429
 marsupials, 438
 monotremes, 431
 placentals, 446
- reptiles, 353
 chelonians, 368
 crocodilians, 375
 lacertilians, 355
 snakes, 383
Sphenodon, 379
- amphibious, in fishes, 324
 in insects, 224, 225
- cerebral, of rotifers, 194
 of vertebrates, 237
- compound, 153
 acone, 167
 apposition, 169, 173
 composite, 160
 eucone, 167
 exocone, 168
 fast, 584, 706
 pseudocone, 167
 slow, 584, 706
 superposition, 169, 174
- degenerate, 721
- emergence of vertebrate, 242
- evolution of vertebrate, 233
- median, 711
- migratory, in fishes, 328
- ontogeny of vertebrate, 239
- parietal, 713
- phylogeny of vertebrate, 237
- pineal, 713
- rudimentary, 721
- simple, 129
 aggregate, 151
 composite, 152
 cupulate, 137

Eyes, simple, directional, 132
 flat, 136
 multicellular, 132
 ommatidial, 159
 pallial, 201
 subepithelial, 132
 unicellular, 130
 vesicular, 141
 stalked, in fishes, 326
 in insects, 223, 225
 in molluses, 203
 telescopic. *See* tubular.
 tubular, in fishes, 322
 in molluses, 203
 Eye-shine, 608
 Eye-spot, 125
of Euglena, 126
Marthasterias, Pl. I
Pouchetia, 126
 Eye-stalk, of crustaceans, 522, 523
 neuro-secretory cells in, 551

F

Fabricia, ocelli of, 191
 Facet, corneal, 157
 Faceted eye. *See* Compound eyes.
 Facial pit of vipers, 117, 599, 600
 Falciform process, of holosteans, 321
 of teleosteans, 298, 299
Falco, eye of, 399
 binocular vision of, 684
subbuteo, iris, 408
tinnunculus, ciliary venous sinus, 408
 fundus, 410, Pl. XII
 pecten, 413
 Falconiformes, bifoveate retina, 417
 shape of eyes, 402
See also Eagles, Hawks, etc.
Fasciola hepatica, 187, 189
 larva, ocelli of, 189
 Fast eyes, in insects, 584, 706
 visual acuity of, 588
 Feather-stars, 184
 Feeding responses, 104
 Felidæ, 445
 area centralis, 485
 eye-shine, 608
 ocular movements in, 696
 optic axis, 688
 pupils, 470
 retinal vascularization, 479

Felidæ, spatial judgments in, 704
See also Cat, Lion, Tiger, etc.
 Ferret, 445
 moulting cycle of, 21, 560
 pupils, 472
 reproductive cycle of, 18
 control of, 559
 Fibrils, intercellular, in protozoa, 511, 512
 Fiddler-crab. *See* *Gelasimus, Uca*.
 Fighting fish. *See* *Betta*.
 Filters, intra-ocular, 656
 Fire-flies, eyes of, 168
 luminous organs, 740, 742
See also *Lampyris, Photinus*.
 Fishes, 278
 accommodation in, 645, 647
 angle gamma of, 677
 blinded, behaviour of, 598
 brain, 533
 transection of, 534
 cave-, 725
 central nervous system, 532
 chemo-receptors, 598
 ciliary ganglion, 501
 colour changes in, 82, 91
 control of, 95, 537, 558
 vision of, 624
 optomotor reaction and, 623
 respiration rate and, 623
 deep-sea. *See* Deep-sea fishes.
 distance, judgment of, 701
 electric organs in, 751
 eyes of, 273 *ff.*
 amphibious, 324
 degenerate, 723, 725, 734
 median, 713
 migratory, 328
 stalked, 326
 tubular, 322
 fore-brain, 543
 removal of, 545
 hearing of, 598
 interocular transfer in, 698
 iris, contraction to light, 89
 lateral geniculate body, 541
 line organs, 534, 598
 luminous bacteria in, 737
 organs of, 737, 741, 743, 746
 median eye, 713
 mid-brain, 535
 movement, perception of, 706
 neuro-endocrine system, 557
 neuro-secretory cells, 551

INDEX

- Fishes, ocular movements of, 691, 692
 voluntary, 693
 optic lobes, 534
 thalamus, 540
 pupillary reactions, 89, 700
 refraction of, 638
 reproductive cycle in, 17
 control of, 559
 size, judgment of, 701
 spatial orientation, 701, 702
 tactile sense of, 598
 tapetum, occlusible, 612
 tectum, 534
 telencephalon, 543
 vibratory receptors in, 534, 598
 vision of, 598, 599
 visual acuity of, 660
 fields, aerial, 672
 binocular, 678, 679
 unioocular, 670, 671, 672
 pathways, 536, 543
 pigments, 121
See also Selachians, Teleosteans, etc.
- Fissipedia, 445
See also Felidae, Canidae, etc.
- Fitzroya lineata*, colour changes in, 105
- Flagellata, 180
 metabolism of, 510
 phototaxis in, 48
See also Euglena, Volvox, etc.
- Flat eyes, 136
- Flat-fishes, 328
 colour changes in, 92
 colour vision and, 625
 migratory eyes in, 328
 twin cones in, 308
 visual field, binocular, 679
See also Soleidae, Pleuronectes, etc.
- Flat-worms, 187
See also Planarians, etc.
- Fleas. *See* Aphaniptera.
- Flicker, threshold of, in insects, 584, 589
- Flies. *See* Diptera.
- Flocculi, pupillary, in marsupials, 439
 in placentals, 469
- Floral initiation, 10
- Florigens, 549
- Flounders. *See* Pleuronectes, *Paramichthys*, *Psettodes*.
- Fluorescence, 747
- Flying fox, 442, 443, 607
 choroidal papillæ, 459
 fundus, Pl. XV
- Flying fox, retina, corrugated, 642
 tapetum in, 459
 lemur, 442, 443
 phalanger, 437
 retinal circulation, 440
 tapetum fibrosum, 438, 609
 squirrel, 445
 fundus, Pl. XV
 optic disc, 486
 retinal vascularization, 482
 tapetum fibrosum, 458, 609
 visual cells, 483
 Fontana's spaces (canals), 464
- Foraminifera, 179, 180
- Fore-brain, 532
See also Diencephalon, Telencephalon.
- Forficula*, 218
 ommatidial angle in, 172
 phototaxis in, 46
 scototaxis in, 60
- Form vision, in arthropods, 578
 cephalopods, 576
 insects, 588
 spiders, 580
 vertebrates, 637
See also Visual acuity.
- Fossil habit, degenerate eyes due to, 728
- Fovea, characteristics in
 birds, 417, 420, 421
 lacertilians, 365
 placentals, 486
 snakes, 392
Sphenodon, 382
 teleosts, 309
 turtles, 374
 function of, 658
 occurrence of, 659
 pure-cone, in birds, 422
 in primates, 486
 pure-rod in geckos, 365
 nocturnal primates, 486
Sphenodon, 382
 teleosts, 310
 shape of, 659
- Foveole opticæ, 239, 240
- Fox (*Vulpes*), 445
 cornea, 453
 flying. *See* Flying fox.
 optic axis, 688
 disc, 486
 pupils, 471
- Franz, Victor Julius, 273, 274

- von Frisch, Karl, **566**, 567
- Frogs, **334**
 colour changes in, **97**
 control of, **558**
 rhythmic, **20**
 eyes of, **334 ff.**
 iris pigmentation, **337**
 control of, **558**
 retinal pigment, migration of, **614**
 control of, **559**
See also Anurans, *Hyla*, *Rana*, etc.
- Fulica*, visual acuity, **663**
- Fulmarus glacialis*, retina, **417**
- Fundulus*, **308**
 area centralis, **309**
 colour changes in, **89**, **91**, **97**
 double cones, **307**, **308**
 migration of rods and cones in, **616**
- Fundus, characteristics in*
 anurans, **341**, Pl. III
 birds, **410**, Pl. XII
 chelonians, **372**, Pl. VII
 crocodilians, **378**, Pl. VIII
 lacertilians, **361**, Pl. VI
 marsupials, **439**, Pl. XIII
 monotremes, **436**, Pl. XIII
 placentals, **478**, **479**, Pl. XIV, XV
 snakes, **389**, Pl. X
Sphenodon, **382**, Pl. VIII
 teleosteans, **306**
 urodeles, **347**, Pl. IV
See also Retina.
- Fungi, luminous, **737**, **743**
- Fungus-gnat larvae, luminous organs in, **740**
- Fusion frequency, in fishes, **626**
 in insects, **589**
- G
- Gadfly. *See* *Ancala*, *Tabanus*.
- Gadus morrhua*, **299**
 annular ligament, **295**
 eye of, **275**
 falciform process, **299**
 fundus, **306**
 twin cones, **308**
- Galago, **443**
 fundus, Pl. XIV
 pupils, **472**
 shape of eye, **448**
 tapetum cellulosum, **459**
- Galago, visual cells, **482**
See also Lemuroids.
- Galeopithecus*. *See* Flying lemur.
- Galcothrus*, eyelids, **289**
 pupil, **286**
- Galliformes, shape of eye, **402**
See also *Gallus*, etc.
- Gallus domesticus*, ciliary region, **403**
 colour vision in, **630**, **631**
 Crampton's muscle, **406**
 eye of, **400**
 oil-droplets, green, **420**
 pecten, **414**
 posterior segment of eye, **404**
 retina, **417**
 size, judgment of, **703**
 summation, retinal, **660**
 visual acuity of, **663**
- Galvanotropism, **33**
- Gamma angle. *See* Angle gamma.
- Gammarus*, blind species, **722**
pulex, ommochromes in, **123**
- Ganglion, cerebral. *See* Cerebral ganglion.
- Ganglionic nervous system, **517**
 in arthropods, **521**
 molluses, **527**
 worms, **518**
- Garrulus*, pecten, **412**
- Gasterosteus aculeatus*, **84**
 colour changes in, **84**
 hue discrimination, **619**
 visual responses, **627**, **665**
- Gastropacha rubi*, eye of, **159**
- Gastropods, **196**
 eyes of, **197**
 nervous system, **527**
 vision of, **574**
- Gavia*, accommodation in, **643**
 nictitating membrane, **424**
- Gavial, **375**
- Gazelle (*Gazella*), **444**, **446**
 corpora nigra, **469**, **470**
- Geckos, **355**, **356**
 annular pad, **361**
 ciliary body, **356**
 cornea, **356**
 diurnal, eye of, **605**
 pupils, **359**
 visual cells, **364**
- fovea, **365**
- fundus, **361**
- iris, **358**

INDEX

- Geckos, lacrimal gland absent, 368
nocturnal, accommodation in, 651
conus, 363
eye of, 605
fovea absent, 365
pupils, 359
retina, pure-rod, 364, 610
rods, thickening of, 611
ocular movements in, 694
pineal organ, 716
pupils, 359
secondary "spectacle", 366
visual cells, 364, 643
See also Gekko, Hemidactylus, etc.
- Gekko gekko*, visual pigments in, 122, 252
- Gelasimus arcuatus*, 205
- Geniculate body, lateral, 541
functions of, 542
in mammals, 489, 490, 536
in vertebrates, 541
- Geonemertes*, ocelli of, 190
- Geoplana mexicana*, 188
ocelli of, 188
- Geotria australis*, 260
visual cells of, 269
- Geotropism, 33, 667
- Geotrupes*, 61
colour vision of, 586
menotaxis in, 61
- Geranoaetus*, 398
binocular field, 681
- Gerrhosaurus grandis*, iris, Pl. V
- Gibbon, 443
fovea, 486
See also Apes, anthropoid; Primates.
- Gigantactis*, luminous organ of, 745, 746
- Giganturus chuni*, 322
tubular eyes of, 323
visual field, binocular, 680
- Gillichthys mirabilis*, visual pigments in, 122
- Ginglymostoma*, pupil of, 286
- Giraffe (*Giraffa*), 444, 446
angle gamma in, 677
optic axis, 688
panoramic field, 686
- Girella*, fovea of, 310
- Glandula pinealis, 711
- Glaucoma, diencephalon and, 560
photoglycæmic reflex and, 560
- Glis*. *See* Dormouse.
- Glossina*, 45
phototaxis in, 45
- Glow-worm, 740, 742
- Goat (*Capra*), 446
area centralis, 485
blood supply to eye, 500
conjunctival glands, 491
corpora nigra, 469, 470
nictitating membrane, 493
visual field, binocular, 689
wild, corpora nigra, 470
- Goat-sucker. *See Caprimulgus.*
- Gobiidae, degenerate eyes in, 726
See also Gobius, Periophthalmus, Typhlogobius, etc.
- Gobius*, 296
membrana vasculosa, 299
niger, cornea, 296
poecilichthys, membrana vasculosa, 300
- Goldfish, degeneration of eyes in, 722
telescope-eyed, 324
threshold to light, difference, 617
visual acuity, 660
See also Carassius.
- Gonadotropic activities, diencephalon and, 537
hormonal control of, 550
in crustaceans, 555
insects, 556
vertebrates, 559
photoperiodism in, 16
- Gonatodes fuscus*, pure-cone retina of, 365
- Gonepteryx rhamni*, colour vision of, 586
- Gonium*, eye-spot in, 125
- Gonodactylus*, 60
phototaxis in, 43
scerotaxis in, 60
- Goose. *See Anser, Cereopsis.*
- Gorilla, 443
binocular vision, 687
cornea, 453
fovea, 486
iris vascularization, 468
- Goshawk. *See Astur.*
- Grasshoppers, 218
accommodation in, 591
colour changes in, 94
vision of, 584
See also Acrida.
- Gregorian inertia, 73
- Grouse, 402
shape of eye, 402
- Growth, control of, 555, 556, 560
hormones in plants. *See Auxins.*

Grus, iris, 408
 ocular movements, 696
Guanine, 89, 608
 in integument, 89
 invertebrate eyes. *See Tapetum.*
 vertebrate eyes. *See Argentea,*
Tapetum.
Guanophores, 89
Guinea-pig (*Cavia porcellus*), 445
 colour vision of, 633
 cornea, 453
 epithelium of, 452
 gonadotrophic hormone, control of, 559
 iris, 467
 lacrimal passages, 494
 pineal organ, 716
 refraction of, 639
 retina, rod-rich, 610
 vascularization of, 480
 threshold to light, difference, 618
 visual cells, 483
 field, unioocular, 672
Gulls, herring-. *See Larus argentatus.*
 navigation by, 64
 ocular movements in, 696
 retina, 419
 sphincter muscle, 407
Gulo. *See Wolverine.*
Guppy. *See Lebistes.*
Gurnard. *See Trigla.*
Gymnophiona. *See Apoda.*
Gymnothorax, pupil of, 304
Gymnura, brain, 533
Gyrinid beetle. *See Whirligig beetle.*

H

Habituation, to light stimuli, 36
Hæmadipsa, 190
 ocelli of, 134
Hæmopis, ocelli of, 193
Hagfishes, 259
See also Myxine.
Haideotriton, degenerate eyes in, 728
Haliaëtus, 410
 fundus, 410
Halicore. *See Dugong.*
Haliotis, ocellus of, 137, 139
Haller's ratio, 401, 450
Hangnest. *See Cacicus.*
Hapalemur, diurnality of, 604

Harder's gland, 345, 494
characteristics in
 anurans, 345
 birds, 425
 chelonians, 375
 crocodilians, 378
 lacertilians, 367
 marsupials, 441
 monotremes, 437
 placentals, 494
 snakes, 393
Sphenodon, 383
Hare (true), 445
 cornea, 453
 nictitating membrane, 493
 optic axis, 688
 calling, 445
 diurnality of, 604
 jumping, pupils, 612
 varying, colour changes in, 21
 control of, 560
 pupils, 471
Harvestman, 215
 eyes of, 215
Harvey, E. Newton, 736
Hatchet-fish. *See Argyropelecus.*
Hatteria. *See Sphenodon.*
Hawks, 417
 accommodation, 651
 distance, judgment of, 702
 foveæ, 417, 659
 lens, 409
 scleral cartilaginous cup, 403
 visual acuity, 662
 field, binocular, 684
 trident, 684
See also Accipiter, Buteo.
Hearing. *See Auditory sense.*
Hedgehog, 441, 442
 colour vision in, 633
 eyelids, 491
 fundus, Pl. XV
 optic disc, 486
 retina, pure-rod, 610
 vascularization of, 479, 481
 visual cells, 482
Helianthus (sunflower), phototropism in, 41
Heliodrilus, conditioning in, 573
Heliphags, 123
Heliotropism, 38
Helix, 142
 circus movements in, 54

- Helix*
 eyes of, 142, 197
 menotaxis in, 61
aspersa, 198
 eyes of, 197
pomatia, ocellus of, 142
 visual cell, 128
- Heloderma*, 359
 ocular movements of, 694
 pupils, 359
 retina, 365
 visual cells, 364
- Helophilus*, 141
 ocellus of, 140, 141
- Hemichordata, 227
 eyes of, 227
 luminous organs in, 740
 nervous system, 530
See also *Balanoglossus*.
- Heinrichromis bimaculatus*, colour reactions, 627
- Hemidactylus*, 629
 colour vision in, 629
turcicus, fundus, Pl. VI
- Hemimysis*, telotaxis in, 58
- Hemiptera, 218, 220
 accommodation, static, in, 591
 eyes of, 167, 222, 224
 luminous organs of, 740
 nervous system, 521, 522
 neuro-secretory cells, 555
See also *Notonecta*, *Aphis*, etc.
- Hen. *See* *Gallus domesticus*.
- Herons, binocular vision, 675
See also *Ardea*, *Nycticorax*.
- Herpestes*. *See* Mongoose.
- von Hess, Carl, 596, 597
- Hesse, Richard, 112, 113
 organs of, 230
- Heterauxin, 41
- Heterodon madagascariensis*, fundus, Pl. X
 pupils, 388
- Heterodontus*, 286
 pupil of, 286
- Heteropods, 199
See also *Pterotrachca*, etc.
- Heteroteuthis*, bioluminescence in, 742
- Hind-brain, 532, 533
- Hiodon*, visual cells of, 305
- Hippocampus*, 310
 fovea of, 309, 310
 ocular movements, 693
- Hippolyte varians*, 91
 colour changes in, 91
 rhythmic, 20
- Hippopotamus*, 445
 cilia lacking, 492
 cornea, 453
 eyelids, 491
 lacrimal passages lacking, 494
 ocular adnexa, 501
 optic axis, 688
 visual acuity of, 654
- Hirudinea*, 190
- Hirudo medicinalis*, 193
 ocelli of, 133, 193
- Hirundo rustica*, 414
 binocular vision, 683, 684
 colour vision in, 631
 foveæ, 421
 pecten, 413, 414
- Holangiotic retina, 479
- Holocephalians, 235, 278
 accommodation in, 647
 eyes of, 290
 pineal organ, 713
- Holosteans, 235, 279, 321
 accommodation, 640, 647
 diurnality of, 603
 eyes of, 321
See also *Amia*, *Lepidosteus*.
- Holothuria*, 185
 pigments in, 117
surinamensis, sensitivity of, 184
- Holothuroidea, 184
 sensitivity of, 184
- Homalopsinæ, accommodation in, 649
- Homarus*, 206
 colour changes in, 95
 eyes of, 164, 206
 vision of, 578
- Homing, in ants, 68
 birds, 63, 703
 molluses, 575
 wasps, 78
 pigeon, 64
 hue discrimination in, 619
 navigation by, 64
 visual acuity of, 665
- Homochromatism, 83
- Honey guides, 588
- Hormonal system, 547
See also Neuro-endocrine system.
- Hormones, 549
 bioluminescence and, 22

- Hormones, controlling colour changes, 92
 photoperiodism, in animals, 18
 in plants, 12
 plant. *See* Auxins.
See also Pituitary, Sinus gland.
- Hornbill, ocular movements, 696
- Horse (*Equus caballus*), 446
 accommodation, 642, 643
 angle gamma, 677
 anterior chamber, 465
 area centralis, 485
 blood supply to eye, 500
 brain, 533
 cerebral cortex, 543
 chiasma, 487
 cilia, 492
 colour vision in, 635
 conjunctiva, 491
 cornea, 453
 epithelium of, 452
 corpora nigra, 469
 eyes of, 447, 449, 450
 lacrimal gland, 493
 passages, 494
 nictitating membrane, 493
 optic axis, 688
 orbit, 498
 pectinate ligament, 464
 Prejvalski's, 686
 pupils, 471
 reactions of, 472
 ramp retina, 642, 643
 refraction of, 639
 retinal vascularization, 478, 480, 481
 tapetum fibrosum, 457, 458
 visual acuity, 664
 field, binocular, 689
 uniocular, 670, 672
 See also Equidae.
- Hovius, circle of, 472
- Humming birds, visual acuity, 662
See also *Calyptra*.
- Humours, four, of Aristotle, 549
- Hyæna*, 444, 445
 optic axis, 688
 pupils, 470, 471, 612
 reactions of, 472
 brunnea, pupils, 470
 striata, pupils, 470
- Hyænidæ, 445
- Hyaloid vessels, in anurans, 340
 birds, 415
 placentals, 476, 477
- Hyaloid vessels, in snakes, 390
 teleosts, 299
- Hydra*, 182
 dermatopteric sensitivity in, 32
 nerve-net, 515
 phototactic reactions of, 571
- Hydlearina, eyes of, 216
 vision of, 579
- Hydrochaerus capybara*. *See* Capybara.
- Hydroides*, conditioning of, 573
 reactions of, 573
- Hydrophinae, accommodation in, 641, 649
 pupils, 612, 655
- Hydrotropism, 33
- Hydrozoa, 182
See also *Hydra*, *Obelia*, etc.
- Hygrobates*, eyes of, 216
- Hyla*, 334
 area centralis, 344
 fundus, 341
 iris, 337
 movement, perception of, 705
 visual acuity, 661
arborea, 341
 colour changes in, 86, 105
 vision in, 628
cærulea, eyelids, 345
 iris, Pl. III
 pupil, 339
 vasta, pupil, 339
- Hylobates*. *See* Gibbon.
- Hymenolæmus malacorhynchus*, binocular field, 687
- Hymenoptera, 219, 220
 neuro-endocrine system, 555
See also *Apis*, *Bombus*, *Vespa*, etc.
- Hynobius*, scleral cartilage in, 347
- Hyperoödon*. *See* Whale, beaked.
- Hyperpiesine, 561
- Hypnarce*, electric organ of, 751
- Hypogeophis*, eyes of, 730
- Hypopachus incrassatus*, scleral bone in, 335
- Hypophysis, 538, 557
- Hypothalamo-hypophyseal system, 552, 556
- Hypothalamus, 539
 hormones and, 550
 reactions of, 541
- Hypotony and hyperpituitarism, 561
- Hypsiglena*, retina, pure-rod, 610
 visual cells, 391
- Hypsiprymnus*. *See* Kangaroo, rat-.

Hyracoidea, 446
See also Hyrax.
 Hyrax (coney), 446
 diurnality of, 604
 retinal vascularization, 480
 umbraculum, 469, 470
 Hystricomorpha, 445
See also Porcupine, Chinchilla, Guinea-pig, etc.
Hystrix. *See* Porcupine.

I

Ichthyomyszon, 260
 visual cells of, 269
Ichthyophis, 730
 degenerate eyes in, 730
Ichthyopsida. *See* Fishes and Amphibians.
Idiacanthus fasciola, 328
 larva. *See* *Stylophthalmus*.
Idotea, colour changes, rhythmic, in, 20
Iguana, 355
 accommodation in, 651
 parietal eye, 715
 visual field, binocular, 682
tuberculata, 358
 iris, 358
 furrow, 337
Impennes (Sphenisciformes), 397, 398
 ocular adnexa, 425
 movements, 696
 refraction, 639, 654
See also *Eudyptes*, *Spheniscus*.
 "Imprinting" in birds, 704
Indris, diurnality of, 604
 Infra-red rays, sensitivity to in vipers, 117, 600
 visibility of, in owls, 620, 630
Infula, in retina of birds, 417
 Infundibular organ, of *Amphioxus*, 229
 Infundibulum, 538
 Vesalius's drawing of, 549
Insectivores, 441
 brain, 533
 cerebral cortex, 543
 ciliary region, 460
 colour vision in, 633
 diurnal, 604
 degenerate eyes in, 733
 nictitating membrane, 493
 ocular movements of, 696

Insectivores, optic axis, 688
 retinal vascularization, 479
 vision of, 601
See also Mole, Shrew, etc.
 Insects, 217
 accommodation in, 591
 bioluminescence in, 740, 746
 rhythmic, 22
 blind, 722, 729, 734
 cerebral ganglion, 521
 removal of, 525
 chromatophores, 86
 colour changes in, 82, 93
 control of, 555
 rhythmic, 20
 vision in, 586
 dermal sensitivity in, 114
 eyes of, compound, 166, 224
 simple, 224
 inactivity in light, 7
 larvae of, nervous system, 519
 ocelli, 222
 vision of, 582
See also Caterpillar, Maggot.
 luminous organs, 742, 746, 747
 metabolic rhythms in, 15
 control of, 556
 nervous system, 521, 522
 neuro-endocrine system, 552, 555, 556
 ommochromes in, 123
 orientation of, out-of-doors, 67
 reproductive cycle of, 17
 control of, 556
 retinal pigment migration in, 170
 control of, 556
 rhythmic, 19
 time-memory in, 22
 vision of, 581
 visual acuity of, 588
 centres in, 524, 525
 pigments in, 121
 Instincts, 108
 Integumentary pigment. *See* Pigment, integumentary.
 Interocular transfer of impressions, 698
 Intra-ocular filters, 656
 pressure. *See* Ocular tension.
 Intrascalar plexus. *See* Circle of Hovius and Canal of Schlemm.
 Invertebrates, accommodation in, 590
 eyes of, degenerate, 722, 724, 728, 733
 morphology, 113
 systematic anatomy, 178

Invertebrates, nervous system, 511
 neuro-endocrine system, 552
 vision of, 570
See also under various classes.

Iodopsin, 122

Ipomopsis, 292, 724

 eyes absent in, 724
 luminous organs, 724, 741
agassizi, 724

Iridocytes, in integument, 89
 iris, 469
 tapetum cellulosum, 459

Iridophores, in sea-urchins, 185

Iris, characteristics in
Anableps, 324
 anurans, 337, Pl. II
 birds, 407, Pl. XI
 chelonians, 370, Pl. VII
 chondrostearns, 317
 crocodilians, 376, Pl. VIII
 dipnoans, 313
 holosteans, 321
 lacertilians, 357, Pl. V
 lamprey, 267
 marsupials, 439
 monotremes, 435
 placentals, 468
 selachians, 285
 snakes, 386, Pl. IX
Sphenodon, 380, 381
 teleosts, 303, Pl. II
 urodeles, 347, Pl. IV
 cells, in crustaceans, 165
 in insects, 168
 pillars, 464

Isoptera, 218, 220

Istiophorus, pupils, 304

Ixodides, 216

J

Jackal (*Canis aureus*), 445

 optic disc, 486

See also Carnivores, Canidae.

Jackdaw. *See Corvus, Coloelus monedula.*

Jacobson's organ, in lacertilians, 368,
 599

 in snakes, 393, 599

Jaguar (*Felis onca*), 445

 pupils, 471

See also Felidæ, Carnivores.

Jastrow illusion, 703

Jay. *See Garrulus.*
 blue. *See Cyanocitta.*
 Jellyfish, 182, 183
 bioluminescence in, 739
 rhythmic, 22
See also Pelagia noctiluca.

myo-epithelial cell, 514
 nerve-net, 514
 nervous control of, 515
 sense organs, 183
See also Aurelia, etc.

Jerrymanders, 216

 eyes of, 216
 vision of, 579

Johnson, George Lindsay, 428, 429

Joseph, cells of, 229

Julis, fovea, 309
 ocular movements of, 693
Julus, circus movements in, 54
Junco hyemalis, reproductive cycle in, 17

K

Kaloula pulchra, iris, 337

Kangaroo, 437

 ciliary processes, 439
 rat., fundus, Pl. XIII
 vision in, 601

Kappers, Cornelius Ubbo Ariëns, 508, 509

Keratinization of cornea, in monotremes,
 433

 in placentals, 456
 aquatic, 502

Kestrel. *See Falco tinnunculus.*

Kinesis, 33

See also Photokinesis, etc.

King-crab. *See Limulus.*

Kingfishers, bifoveate retina, 418

See also Alcedo, Dacelo.

Kiwi. *See Apteryx.*

Klinokinesis, 31, 34

Klinotaxis, 31, 47

 definition of, 43

Koala, 440

L

Labrus, ocular movements, 693

bergylta, visual pigments, 121

Labyrinths, 534, 690

INDEX

- Lacerta*, accommodation in, 651
 embryo, median eye, 712, 713
 extra-ocular muscles, 368
 lens, 360
 median eye, 715, 718
 transverse muscle, 357
 visual field, binocular, 680, 682
- galloti*, fundus, 361
- monitor*. *See Varanus.*
- muralis*, 355
 conus, 362
- viridis*, conus, 363
 iris, 358
 ocular movements of, 694
 visual responses, 665
- vivipara*, colour vision in, 629
- vulgaris*, conus, 362
- Lacertilians, 353
 accommodation in, 651
 colour changes in, 88
 vision in, 623, 628
- eyes of, 355 ff., 356
 degenerate, 733
- fundi, Pl. VI
- irides, Pl. V
- migration of retinal pigment in, 614
- ocular movements in, 694
- olfactory sense of, 599
- parietal eye, 715, 716
 function of, 719
- pupils, contractile, 612
- refraction of, 639
- retina, pure-cone, 611
- vision of, 599
- visual acuity of, 661
 fields, binocular, 680, 682
 unioocular, 672
- See also Iguana, Lacerta, Chameleon, etc.*
- Lacewings, 219, 220
- Lacrimal glands, characteristics in
 anurans, 345
 birds, 425
 chelonians, 375
 crocodilians, 378
 lacertilians, 367
 marsupials, 441
 monotremes, 437
 placentials, 493
 urodeles, 349
- passages, characteristics in
 anurans, 345
 birds, 425
- Lacrimal passages, characteristics in
 crocodilians, 378
 placentials, 494
 snakes, 393
- Læmargus*, 281
 scleral cartilage, 281
- Lagomorpha, 445
 angle gamma, 677
 retinal vascularization, 479
 vision of, 601
See also Hare, Rabbit.
- Lagostomus*. *See Vizcacha.*
- Lamellibranchs. *See Bivalves.*
- Lamina cribrosa, in placentials, 487, 488, 489
 ganglionaris, in arthropods, 524
- Lamna cornubica*, 283
 iris, 285
 pupils, 287
 tapetum, 283
- Lampanyctus*, visual cells of, 305, 611
- Lampetra*, 260
 activity of, 34
 colour changes in, 95
 nervous control of, 537, 558
 rhythmic, 20
- fluviatilis*, 260
 eyes of, 265
 median, 716, 717
 optic nerve, 270
 retina, 268
 visual cells, 269
- planeri*, eye of, 264
- Lamprey, 260
 eyes of, 263
 median, 713, 714, 716, 717
- larva. *See Ammocetes.*
- visual field, binocular, 678
- See also Cyclostomes, Lampetra, Petromyzon.*
- Lamprocolius chalybeus*, iris, 407
- Lampropeltis getulus*, iris, 387
 optic disc, 390
- Lamp-shells. *See Brachiopods.*
- Lampyridæ. *See Lampyris, Photinus.*
- Lampyris*, bioluminescence in, 746
 compound eyes of, 168, 172
noctiluca, 740
splendidula, luminous organs of, 736, 742
- Lancelets, 228
See also Amphioxus.
- Langur, 607
 colour vision in, 635

- Lanius*, 662
 visual acuity, 662
- Lankester*, Edwin Ray, 232, 233
- Lantern* flies, luminous organs in, 740
- Lanthanotus*, eyelids, 366
- Laridae*. *See Gulls.*
- Larus argentatus*, pecten, 413, 414
 visual responses, 665
- Lasius*, scototaxis in, 60
niger, menotaxis in, 69
- Lateral geniculate body*. *See Geniculate body.*
 line organs, 534, 690
- Latimeria*, 235, 278, 315
 eyes of, 314, 316
- Latrodetus*, 84
 colour changes in, 84
- Laurence-Moon-Biedl syndrome*, 559
- Leander*, 578
 colour vision in, 578
 pigments in, 123
 retinal, migration of, 554
 reproduction, control of, 555
- Lebistes reticulatus*, area centralis, 309
 colour changes in, 96, 97
 migration of rods and cones, 614
- Leeches*, 190
 colour changes in, 93
 light-shadow reflex in, 573
 ocelli, 131, 133
See also Hirudo, Hæmadipsa, etc.
- Lemniscus*, lateral, 536
- Lemur catta*, area centralis, 485
 tapetum cellulosum, 459
- macaco*, area centralis, 485
mongoz, colour blindness of, 635
- Lemuroidea*, 443
See also Lemurs, Loris, Galago, etc.
- Lemuroids*, nocturnal, 443
 retina, pure-rod, 610
 shape of eye, 448
 tapetum cellulosum, 459, 609
 visual cells, 482
See also Galago, Loris, etc.
- Lemurs (true)*, 442, 443
 angle gamma, 677
 area centralis, 485
 colour blindness of, 635
 eye of, 605
 flying. *See Flying lemur.*
 optic axis, 688
- Lens (crystalline)*, characteristics in
Anableps, 324
- Lens (crystalline)*, characteristics in
 anurans, 340
 birds, 408, 409
 cephalopods, 144, 145
 chelonians, 372
 cœlacanth, 315
 crocodilians, 377
 fishes, 276
 tubular-eyed, 323
 invertebrate compound eyes. *See Crystalline cone.*
 simple eyes, 125, 127, 129
- lacertilians, 360, 361
- lamprey, 267
- marsupials, 439
- monotremes, 436
- placentals, 474
- selachians, 287
- snakes, 388
- Sphenodon*, 381
- teleosts, 304
- urodeles, 347
- cuticular, 136, 138, 139, 140, 143
- deformation of, in accommodation, 649
- movement of, in accommodation, 644
 backward, 644
 forward, 647
- spherical, occurrence of, 606
- vertebrate, origin of, 246
- yellow, occurrence of, 656
- Lentiform body* of teleosteans, 299
- Leopard* (*Felis pardus*), 445
 eyelids, 491
 pupils, 471
See also Felidæ, Carnivores.
- Lepadogaster*, ocular movements, 693
- Lepas*, 208, 209
 adult, degenerate eyes, 722
 larva, eyes of, 209
- Lepidoptera*, 219, 220
 larvæ of. *See Caterpillar.*
See also Butterflies, Moths.
- Lepidosiren*, 312
 eyes of, 312
 forebrain, 239
 retina, pure-rod, 610
- Lepidosteus*, 279, 321
 eyes of, 321
- Lepisma*, 218
 circus movements in, 54
 scototaxis in, 60
- Lepomis*, hue discrimination in, 626
 threshold to light, difference, 617

- Lepomis*
visual cells, 307
- Leptinotarsa*, 219
metabolic rhythm in, 15
- Leptodeira annulata*, retina, 390
- Leptodora*, 207
eyes of, 163, 209
- Leptognathus*, pupils, 304, 325
- Leptopiana*, 187
activity of, 34, 572
- Lepus*. *See* Hare.
- Leuckart's ratio, 401
- Leucosolenia*, 181
light-sensitive cells in, 130, 181
- Levator bulbi muscle, in anurans, 345
palpebræ superioris, in placentals, 492
- Lid-fold, in teleosts, 311
- Lids. *See* Eyelids.
- Ligament. *See* Suspensory, Annular, etc.
- Light, activation by, 7, 34
dermal sensitivity to, 113
diffuse reaction to, 113
effect on chromatophores, 89
metabolism, 7
movement, 27
pigmentation, 19, 82
inactivation by, 7, 34
perception of, 602
- Light-compass reaction, 61
- Light-differences, discrimination by insects, 585
by vertebrates, 617
- Light-sense, in vertebrates, 602
- Light-sensitive cells, 127, 130
apolar, 128, 131, 133
bipolar, 127, 130, 134
in tail of ammocetes, 263
- Light-sensitivity, 102, 113
in man, photoperiodism in, 559
- Light-shadow reflex, 45
in molluscs, 574
in worms, 572, 573
- Ligia*, 95
colour changes in, 95
rhythmic, 20
eyes of, 165
- Lima*, eyes of, 139, 201, 722
- Limax*, 197
maximus, visual cells of, 128
- Limicoline habit, degenerate eyes due to, 724
- Limnaea*, 196
nervous system, 528
- Limnesia*, eyes of, 216
- Limulus*, 161, 211
activity of, 34
eyes of, compound, 162, 212
mechanism of, 158
median, 141, 162, 212
rudimentary, 163, 212
neuro-secretory cells in, 552
neuro-endocrine system, 552
orientation to polarized light in, 66
vision of, 584
visual pigments in, 121
- Lineus ruber*, 189
ocelli of, 189
orientation in, 75
- Linnæus, Carl, 8, 9
flower-clock, 10
- Lion (*Felis leo*), 445
angle gamma of, 677
area centralis, 485
cornea, 453
extra-ocular muscles, 495
pupils, 471
See also Felidae, Carnivores.
- Lipophores, 88
- Lithobius*, conditioning of, 578
- Littorina neritoides*, 45
phototaxis in, 45
- Lizards. *See* Lacertilians.
- Lizzia*, 183
ocellus of, 136
- Llama* (*Lama*), 444, 446
corpora nigra, 470
See also Tylopoda, Ungulates.
- Local sign, 668
- Localization in space, 666
egocentric, 668
gravitational, 669
- Locusta*, 69
menotaxis in, 69
ommatidial angle in, 172
optic tracts, 526
vision of, 585
- migratoria*, ommochromes in, 123
optic ganglia, activity of, 524
telotaxis in, 56
- Locusts, gregariousness in, 73
reactions of, 527
vision of, 583
See also Locusta, *Schistocerca*.
- Loeb, Jacques, 26, 28
- Loligo*, 145
eyes of, 145, 202

- Loligo*
 luminous bacteria in, 737
pealii, visual pigment in, 120
vulgaris, 202
- Lophortyx californicus*, 417
 retina, 417
- Loris*, slender (*Loris gracilis*), 443
 tapetum cellulosum, 459
 visual cells, 482
- slow (Nycticebus)*, 443
 pupils, 472
 shape of eye, 448
 tapetum cellulosum, 459
See also Lemuroids, Primates.
- Lota*, retina, rod-rich, 610
- Loxia*, choroid, 404
- Loxodonta africana*. *See Elephant, African.*
- Luciferase, 736, 748
- Luciferin, 736, 748
- Lucifuga*, degenerate eyes in, 725
- Lucioperca*, migration of rods and cones in, 614
- Lumbriculus*, conditioning of, 573
- Lumbricus terrestris*, 190
 cerebral ganglion, removal of, 520
 conditioning of, 573
 light-sense of, 572
 metabolic rhythm in, 16
 nervous system, 519
 ocelli of, 128, 131, 190
 reactions to light, 53, 520
 tropotaxis in, 53
 visual pigment in, 120
- Luminosity-curve, in insects, 585
- Luminous bacteria, 737
 fungi, 737
 organs, 736
 in arthropods, 740
 ccelenterates, 739
 echinoderms, 739
 fishes, 737, 741
 molluses, 740
 protochordates, 740
 worms, 739
 protozoa, 738
- Lung-fishes. *See Dipnoans.*
- Lutianus*, colour preference in, 624
- Lutra*. *See Otter.*
- Lutreola*. *See Mink.*
- Lycosa agricola*, 214
 eyes of, 213
- Lycoteuthis diadema*, 740
 luminous organs in, 740
- Lygodactylus*, lens, 361
- Lymantria*, larvæ, form vision in, 582
 menotaxis in, 61
- Lynx (Felis lynx)*, 444, 445
 eye of, 447, 605
See also Felidæ, Carnivores.
- Lytechinus*, protection from light in, 39
- M
- Mabuya*, transparent eyelids in, 367
- Macaca (Macacus)*. *See Monkey, macaque.*
- pileata*. *See Monkey, toque.*
- rhesus*. *See Monkey, rhesus.*
- Mackerels*. *See Scombride.*
- Macrobrachium*, retinal pigment, migration of, 19
- Macrogenitosoma præcox*, 719
- Macroglossa*, colour vision in, 587, 588
- Macronectes giganteus*, fovea and infula, 418
- Macropodidae*, 437
See also Kangaroo, Wallaby.
- Macropus*. *See Kangaroo.*
- Macroscelidæ*, 441
- Maeula*, xanthophyll in, 122
 yellow pigment of, 122, 656
See also Retina, Fovea, Area centralis.
- Maggots, inactivation by light, 7, 34
 klinotaxis in, 50, 51
 ocelli of, 137, 139
- Magpie, 403
 shape of eye, 402
- Malacocephalus lœvis*, bioluminescence in, 742, 746
- Malacostraca*, 206
- Malopterurus*, electric organ of, 751
- Malpolon*, visual field, binocular, 684
- Mammals, 429
 accommodation in, 652, 653
 angle gamma in, 676, 677
 brain, 533
 transection of, 534
 central nervous system, 532
 cerebral cortex, 543
 removal of, 545
 ciliary ganglion, 501

INDEX

- Mammals, colour changes in, seasonal, 21
 control of, 560
 vision in, 632
 diurnal, 604
 eyes of, 429 *ff.*
 degenerate, 733
 habits of, 604
 lateral geniculate body, 489, 541
 lens capsule, **653**
 elasticity of, 652
 marsupial. *See* Marsupials.
 metabolic rhythms in, 13
 control of, 560
 mid-brain, 536
 migration of retinal pigment in, 614
 of visual cells, 616
 monotreme. *See* Monotremes.
 movement, perception of, 705
 neopallium, 543
 neuro-endocrine system, 557
 nocturnal, 604
 ocular movements of, 696
 optic axis, **688**
 lobes, 535
 thalamus, 540
 pineal organ, 716
 function of, 718, 719
 placental. *See* Placentals.
 primitive, 236
 pupillary reactions of, 700
 receptor-effector system, 514
 refraction of, 639
 reproductive cycle in, 18
 control of, 559, 560
 spatial judgments of, 704
 tectum, 536
 telencephalon, 543
 threshold to light, difference, 618
 vision of, 600
 visual acuity of, 663
 field, binocular, 687, **689**
 uniocular, 672
 pathways, **540**, 544
 Mammillo-infundibular nucleus, 557
 Manatee, 446, **502**
 retinal vascularization, 480
 See also Sirenians.
 Mandrill (*Mandrillus*), 443
 refraction of, 639
 See also Primates.
 Mangabey, colour vision in, 635
Manis. *See* Pangolin.
- Mantis religiosa*, **589**
 eyes of, 139, 225
 reactions of, 526
 vision of, 589
 Manx shearwater. *See* *Puffinus puffinus*.
 Manz, glands of, in mammals, 491
 Markhor, reproductive cycle of, 18
Marmosa. *See* Opossum, mouse.
 Marmosets, 443
 eyes of, 450
 fovea, 486
 See also Primates.
 Marmot, 442, 445
 cornea, 453
 eye of, **447**
 ocular movements, 696
 optic disc, 486
 pupils, 472
 retina, pure-cone, 612
 vascularization of, 479
 visual acuity of, 664
 cells, 483
 Marsupials, 429, 437
 accommodation lacking in, 640
 arhythmic, 604
 colour vision in, 632
 fundus, Pl. XIII
 eyes of, 438
 lateral geniculate body, 489, **490**, 541
 nocturnal, 604
 optic axis, **688**
 refraction of, 639
 vision of, 601
 Marsupium. *See* Pecten.
 Marten (*Martes*), 445
 colour blindness of, 634
 See also Mustelidae.
Marthasterias glacialis, Pl. I
 eye-spot of, Pl. I
 Martlet (*Chelidon*), visual acuity of, 662
 Mast, Samuel O., **26**, 29
 Mastigophora. *See* Flagellata.
Mastigoproctus giganteus, activity of, 34
 Matthiessen's ratio, 277
 Mayflies. *See* Ephemeroptera.
 Mazes, 569, 624
 conditioning by, in ants, 70
 crustaceans, 578, 579
 myriapods, 578
 snails, 575
 worms, 573
 Mechano-receptors, 116

- Median eyes, 711
 of lamprey, 716, 717
 lizards, 716, 718
 Sphenodon, 716
- Medulla, external, 524
 internal, 524
 terminal, 524
- Meduse, 182
 nerve-trunks in, 516
 See also Jellyfish.
- Medusoids, 182
 sense-organs of, 182
- Megabunus diadema*, 215
- Megachiroptera, 443
 choroidal papillæ, 459
 corrugated retina, 643
 retinal tapetum, 459, 608
 See also Flying fox.
- Megalobatrachus maximus*, 349
 eyes of, 349
- Meganoctiphanes*, bioluminescence in, 740
- Megaptera*. See Whale, hump-back.
- Megerlia*, eyes of, 195
- Meibomian glands, in placentals, 491
- Melanerpes erythrocephalus*, pecten, 412
- Melanin, 89, 118
- Melanoblasts, 118
- Melanophores, 87
 in iris, of anurans, 337
 of snakes, 386
 in sclera, of snakes, 385
- Melanoplus*, electroretinographic responses, 586
- Meleagris gallopavo*, retina, 417
- Meles*. See Badger.
- Melopsittacus undulatus*, iris, 407
- Melursus*. See Bear, sloth-.
- Membrana vasculosa retinae, 482
 in anurans, 341
 dipnoans, 313
 holosteans, 321
 polypterini, 320
 snakes, 290
 teleosts, 299, 300
- Menotaxis, 31, 60
 definition of, 44
- Merangiotic retina, 479
- Mesencephalon. See Mid-brain.
- Metabolism, diurnal rhythm of, 13
 effect of light on, 7
 regulation of, 555, 556, 560
- Metazoa, 181
- Metencephalon, 532
- Metopoceros cornutus*, conus, 363
 fundus, 361, Pl. VI
- Metridium*, phototactic reactions of, 571
- Microchiroptera, 443
 See also Vampire bat, *Vespertilio*.
- Micrococcus phosphoreus*, luminescence of, 738
- Micropus apus*, 407
 ciliary muscle, 407
 fovea, 418
 pecten, 412
- Microspira photogenica*, luminescence of, 738
- Microtus*. See Vole, field-.
- Mid-brain, 532, 534
- Migration of birds, 17
 of pigment. See Pigment, migration of.
 of rods and cones. See Visual cells, migration of.
- Migratory eyes in fishes, 328
- Millipede, 210
 eyes of, 210
 See also Myriapods.
- Milvus*, 420
 green oil-droplets, 420
- Mimicry, 83
- Mimosa pudica* (sensitive plant), response to light, 511
- Mink, pupils, 472
- Minnow. See *Phoxinus*.
- Miopiesine, 561
- Misgurnus*, 310
 optic nerve, 310
- Mites, 216
 eyes of, 216
 water, eyes of, 216
- Mitosis, diurnal rhythm in, 13
- Mnemiopsis*, bioluminescence in, 748
- Mnemotaxis*, 31, 78
 definition of, 44
- Moa, 604
 extinction of, 604
- Mobulidae, pupils, 287
- Mole (true), 441
 eyes of, 732, 733
 optic axis, 688
 disc, 486
 retinal vascularization, 479, 481
- golden, 442, 443
 eyes of, 733
- marsupial, 437
 eyes of, 733
- scleral cartilaginous nodules, 438

- Mole, rodent, eyes of, 733
 water. *See Desman.*
- Moll's glands, in placentals, 492
- Molluscs, 195
 accommodation in, 590
 blind, 723, 729
 cerebral ganglion, 527, **528**
 activity of, 524
 deep-sea. *See Deep-sea molluses.*
 dermal sensitivity in, 114
 eyes of, 196
 degenerate, 723
 inverted retina in, 147
 luminous organs in, 737, 740, 746
 metabolic rhythms in, 15
 nerve-net, 515, 516
 nervous system, 527, **528**
 neuro-endocrine system, 550
 neuro-secretory cells, 552
 reproductive cycle in, 17
 vision of, 574
 visual centres, **529**
See also Cephalopods, etc.
- Mongoose, 445, 472
 pupils, 472
- Monkeys, 443
 capuchin, 443
 colour vision in, 635
 lens capsule, 653
 visual acuity of, 665
 howling, 443
 macaque, 443
 iris vascularization, 468
 nictitating membrane, 493
 pupillary reactions, 472
 retractor bulbi, 495, 496
- New World, 443
 nocturnal. *See Nyctipithecus.*
- Old World, 443
 rhesus, colour vision in, 635
 fovea, **486**
 retina, **483**
 visual acuity of, 665
- spider, 443, 689
 colour vision in, 635
- toque, fundus, Pl. XIV
- Monodon.* *See Narwhal.*
- Monotremes, 429, 431
 accommodation lacking in, 640
 colour vision in, 632
 eyes of, **431 ff.**
 fundi, Pl. XIII
 nocturnality of, 604
- Monotremes, optic axis, **688**
 vision of, 600
- Moon, navigation by, 73
- Mordacia*, 260
 eyes of, 265
- Mormyridæ*, 294
 scleral cartilage in, 294
- Mosaic, retinal, 656, 705
 theory, 155, 170
- Mosquitoes, eyes of, 220
 orientation to polarized light, 66
See also Diptera, Aëdes, Culex, etc.
- Motacilla alba*, 660
 summation, retinal, 660
- Moths, 219, **581**
 behaviour of, 63
 eyes of, 159
 olfactory sense of, 581
 retinal pigment, migration of, 170
 vision of, 585
- Moultling, photoperiodism and, 21, 555, 556, 560
- Mouse, 445
 colour blindness of, 633
 eyelids, 491
 field-, colour blindness of, 633
 Harder's gland, 494
 lacrimal gland absent, 493
 Moll's gland absent, 492
 ocular movements of, 696
 optic axis, **688**
 nerve-head, **488**
 photoperiodism in, 18
 refraction of, 639
 retina, rod-rich, 610
 vascularization of, 479, 481
 visual acuity, 663
 cells, 483
- Movement, perception of, in cephalopods, 576
 in insects, 589
 vertebrates, 705
 stroboscopic, 706
- Movements, ocular. *See Ocular movements.*
- Mucopolysaccharide, in anterior chamber of owls, 404
- Mugil*, colour preference in, 625
 eyelids, 311
 ocular movements in, 693
corsula, accommodation in, 654
- Müller (H), fibres (cells) of, 248
 development of, 240

- Müller (H), muscle of (ciliary), in birds, 406
 (orbital), in mammals, 496
 (palpebral), in mammals, 492
Johannes, 154
Müller-Lyer illusion, 703
Murex, 197
 ocelli of, 142, 197
 regeneration of eye, 136
Mus. *See* Mouse.
Musca domestica, 172
 eyes of, 167, 172
 maggot of, 50
 klinotaxis in, 50
 ocellus of, 137, 139
 visual acuity of, 588
Muscles, extra-ocular, characteristics in
 anurans, 345
 birds, 424, 425
 fishes, 277, 278, 691
 hammerhead shark, 327
 lacertilians, 368
 lamprey, 271
 monotremes, 437
 placentals, 494, 495
 selachians, 290
 teleosts, 312
See also under various muscles.
Mustela erminea. *See* Ermine.
nivalis. *See* Weasel.
Mustelidae, 445
 lacrimal passages absent, 494
 nictitating membrane, 493
 pupils, 472
Mustelus, 285
 area centralis, 289
 chromatophores, 96
 pupils, 285, 286
 tapetum, 283
 visual cells, 288
antarcticus, pupil of, 286
Mya arenaria, 131
 light-shadow reflex in, 574
 ocelli of, 131, 200
 visual pigment in, 120
Myelencephalon, 532
Myliobatis, 283
 eyes, 281
 pupils, 287
 visual cells, 288
Myocastor coypus. *See* Coypu.
Myo-epithelial cells, 513, 514
Myogale. *See* Desman.
 Myomorpha, 445
See also Mouse, Rat, etc.
Myriapods, 210
 blind, 729
 eyes of, 151, 210
 luminous organs in, 740, 745
 neuro-endocrine system, 552
 vision of, 578
 visual centres, 524
Myrmecobius. *See* Ant-eater, banded.
Myrmecophaga. *See* Ant-eater, giant.
Mysids, 58
 telotaxis in, 58
Mystacoceti, 446
Mytilus, 200
 sense organs of, 200
Myxieola aesthetica, ocelli of, 191
Myxine glutinosa, 114, 734
 degenerate eyes of, 734
 dermal sensitivity of, 114
 secretory mechanism of, 267
Myxinoids, degenerate eyes in, 734
 labyrinths, 534
 median eyes absent, 713
See also *Bdellostoma, Myxine.*
Myzus, colour vision of, 587

N

- Naja tripudians, 386*
 fundus, Pl. X
Narwhal, 446
 Nasal asymmetry, 674
Nasua. *See* Coati.
 Native cat. *See* Dasyure.
Natrix. *See* *Tropidonotus.*
Nautilus, 139
 ocellus of, 137, 201
 Navigation by birds, 64
 pecten and, 416
Necrophorus, 219
 eyes of, 172
Necturus, 349
 eyes of, 349
 violet rods, 350
Nematodes, 187
 sense organs of, 190, 734
Nemertines, 187
 bioluminescence in, 739
 nervous system, 519
 sense organs of, 189
Nemestrinus, colour vision in, 635

- Neoceratodus*, 312
 eyes of, 312
 retina, pure-cone, 611
- Neodiprion*, orientation to polarized light
 in, 66
 telotaxis in, 57
- Neognathæ*. *See Carinatæ*.
- Neopalium*, 543
- Nercis*, 190, 191
 cerebral ganglion, removal of, 520
 conditioning of, 573
 nervous system, 520
 ocelli of, 138, 191
- Nerve trunk-pathways, 513, 516
 in coelenterates, 516
 echinoderms, 516
- Nerve-net, subepithelial, 512, 514
 in balanoglossids, 515, 517
 coelenterates, 512, 514, 515
 molluses, 515
 worms, 515, 518, 520
- Nerves. *See under various nerves* (Optic, Corneal, etc.).
- Nervous system, 511
characteristics in
 arthropods, 521, 522
 coelenterates, 514, 515
 echinoderms, 516
 molluses, 527, 528
 protochordates, 530
 vertebrates, 530
 worms, 518, 519, 520
 central, 530
 development of, 531
 evolution of, 512
 ganglionic, 517
- Neurobiotaxis, 509, 699
- Neuro-endocrine system, 550
 of crustaceans, 552
 insects, 555
 vertebrates, 556
 function of, 558
- Neurohumoral activity, 550
- Neurohypophysis. *See Hypophysis*.
- Neuropile, 518
- Neuroptera, 219, 220
- Neurosecretion, 550
- Neurosecretory cells, 550, 551
- Newts, 346
See also Urodeles, Triturus.
- Nictitating membrane, *characteristics in*
 birds, 423, 424
 chelonians, 374
- Nictitating membrane, *characteristics in*
 crocodilians, 378
 lacertilians, 367
 marsupials, 441
 placental, 492
 platypus, 437
 selachians, 289
Sphenodon, 383
 false, in teleosts, 312
 in anurans, 345
 interposition of, in accommodation, 643
- Night-jar. *See Caprimulgus*.
- Noctiluca*, 179, 180, 738
 luminescence of, 738
miliaris, luminescence of, 738
- Nocturnal animals, 602, 721
 eye, characteristics of, 605
 retina of, 609, 610
- Notechis*, eye of, 385
 anterior segment, 386
 visual acuity of, 657
- Notonecta*, 73
 circus movements in, 54
 colour vision of, 587
 migration of visual cells, 170, 614
 orientation of, 73
- Notoryctes typhlops*. *See Mole, marsupial*.
- Notropis*, colour vision in, 625
- Nucleus lateralis, 557
 pre-opticus, 557
- Nudibranchs, 196
 bioluminescence in, 740
- Numida pucherani*, retina, 417
- Nycticebus*. *See Loris, slow*.
- Nycticorax*, 413
 pecten, 413
- Nyctipithecus*, 443
 area centralis, 485
 fovea, pure-rod, 486
 nocturnality of, 604
 retina, pure-rod, 482, 610
 tapetum fibrosum, 458, 609
- O
- Obelia*, 182
- Ocellus. *See Eye, simple*.
- Octavus system, 535
- Octopus*, 93
 colour changes in, 85, 92, 93
 conditioning of, 576
 eyes of, 144, 202

- Octopus*
 optic lobes, 529
 reactions of, 528
 vision of, 575
vulgaris, 202
- Ocular movements, 689
 involuntary, 690
 voluntary, 692
 in amphibians, 345, 694
 birds, 425, 695
 chelonians, 374
 fishes, 278, 693
 lacertilians, 368
 mammals, 497, 696
 co-ordination of, 693
 reptiles, 694
 snakes, 393
 tension, diencephalon and, 560
 diurnal rhythm in, 14, 561
- Oculiferous tubercle, in harvestmen, 215
 jerrymanders, 216
 sea-spiders, 217
- Oculomotor centres, 534
 nuclei, 535, 699
- Ocydopoda ippens*, 205
- Odonata, 220, 225
 eyes of, 222, 225
 See also *Aeschna*, *Anax*.
- Odontoceti, 446
- Odontosyllis*, bioluminescence in, 741
- Edicnemus*, pecten, 412
- Oil-droplets, colour vision and, 631
 occurrence of, 631, 656
- Okapi (*Okapia*), nictitating membrane, 496
- Olfactory centres, 543
 sense, of bees, 588
 birds, 600
 fishes, 598
 gastropods, 574
 insects, 581
 mammals, 601, 733
 reptiles, 599
 predominance of, 103
 spatial judgments and, 667
- Oligochaetes, 190
 bioluminescence in, 739
 conditioning of, 573
 nervous system, 519
 ocelli, 190
 See also *Lumbricus*.
- Ommatidial angle, 172, 173
 eye. See Compound eyes.
 simple, 159
- Ommatidium, 155
- Omnatin, 123
- Ommin, 123
- Ommochromes, 123
- Onchidium*, 199
 accommodation in, 590
 eyes of, 148, 199
 homing ability of, 575
- Oniscus*, metabolic rhythm in, 15
- Ontogeny of vertebrate eye, 239, 240
- Onychophores, 204
 eyes of, 205
 degenerate, 724
 nervous system, 521
 vision of, 578
 See also *Peripatus*.
- Operculum (pupillary), 612
 in catfishes, 304, 329
 flat-fishes, 329
 mammals, 469, 470
 selachians, 287
- Ophidians, 353
 accommodation in, 648
 colour training of, 628
 eyes of, 373 ff., 385
 degenerate, 731
 fundi, Pl. X
 irides, Pl. IX
 ocular movements, 694, 695
 olfactory sense in, 599
 pineal organ, 716
 pupils, contractile, 612
 refraction of, 629
 vibratory sense in, 599
 vision of, 599
 visual acuity of, 661
 field, binocular, 682
- Ophiops*, eyelids in, 366, 367
- Ophiotettix*, 223
- Ophisaurus ventralis*, fundus, 362
- Ophuoidea, 184
- Ophryoxessa superciliosa*, iris, Pl. V
- Ophthalmic artery, in anurans, 340
 in placernals, 498
- Opiliones. See *Phalangida*.
- Opisthobranchs, 196
 neuro-secretory cells, 552
- Opisthoproctus*, 324
 tubular eyes of, 324
 visual field, binocular, 680

- Opossum, 437
 Australian, lateral geniculate body, 489, 490
 pupils, 612
 eye of, 605
 mouse, ciliary muscles, 439
 visual cells, 441
 Virginian, 439
 ciliary muscles, 439
 colour blindness of, 633
 fundus, Pl. XIII
 nictitating membrane, 441
 optic axis, 688
 retinal circulation, 440
 tapetum, 440, 608
 visual acuity of, 665
- Optic axis, 675, 688
 chiasma. *See Chiasmal decussation.*
 disc, *characteristics in*
 birds, 410
 chelonians, 372
 crocodilians, 378
 lacertilians, 362
 marsupials, 440
 monotremes, 436
 placentals, 486
 polypterini, 320
 selachians, 288
 snakes, 390
 Sphenodon, 381
 teleosts, 310
 urodeles, 347
- ganglia, in arthropods, 523, 524, 525
 lobes, of arthropods, 521, 525, 526, 584
 of birds, 535
 cephalopods, 528, 529, 576
 fishes, 534
 mammals, 535
 reptiles, 535
- nerve, *characteristics in*
 anurans, 344
 birds, 422
 crocodilians, 378
 dipnoans, 313
 holosteans, 322
 lacertilians, 366
 lamprey, 270
 monotremes, 436
 placentals, 486, 488
 selachians, 288
 snakes, 392
 Sphenodon, 383
 teleosts, 310
- Optic nerve, *characteristics in*
 urodeles, 350
 decussation of fibres. *See Chiasmal decussation.*
 septal system of, 487
 pedicle, in selachians, 290
 pits, 239
 thalamus, 538
 vesicles, 239, 537, 711
- Optical system, of vertebrates, 605, 638
 duplicated, 641
- Optics of compound eye, 170
- Optomotor reaction, 568
 in crustaceans, 578
 insects, 73, 583, 584
 colour vision and, 587
 light-differences and, 585
 visual acuity and, 588, 589
 spiders, 580
 vertebrates, colour vision and, 623
 movement, perception of, and, 706
- Orang-utan, 443
See also Apes, Primates.
- Orbicularis oculi, in placentals, 492
- Orbit, *characteristics in*
 anurans, 346
 birds, 423, 424, 425
 chelonians, 375
 crocodilians, 378
 hammerhead shark, 327
 lacertilians, 368
 lamprey, 270
 monotremes, 437
 placentals, 497
 selachians, 290
 snakes, 393
 Sphenodon, 383
 teleosteans, 312
- Orbital axis, 675, 676
 ganglion. *See Ciliary ganglion.*
 nerves, in placentals, 501
 sinus, in rabbit, 500
- Orca. *See Whale, killer*
- Orectolobus, pupil, 286
- Organelle, 129
- Orientation angle, in menotaxis, 61
 to light, 27
 methods of, 31
 See Phototaxis, etc.
 of insects, 67
 of plants, 27
 polarized, 66

- Orientation, to visual pattern, 73
 visual, 667
- Ornithorhynchus*. *See* Platypus.
- Orthokinesis, 34
- Orthoptera, 218, 220
 eyes of, 223
 See also *Blattella*, *Locusta*, *Dixippus*, etc.
- Orycteropus*. *See* Aard-vark.
- Oryctolagus*. *See* Rabbit.
- Os opticus of birds, 403
- Osseous plaques (scleral), in chondrosteans, 317
 in *Latimeria*, 315
- Ossicle of Gemminger, in birds, 403
- Ossicles, scleral, accommodation and, 649
 in birds, 403
 chelonians, 369
 lacertilians, 356
 Sphenodon, 380
 teleosts, 294
 occurrence of, 450
- Osteichthyes, 234, 235, 278
 eyes of, 291
 See also Teleosteans, etc.
- Osteolæmus tetraspis*, iris, Pl. VIII
- Ostracods, 207
 eyes of, 209
 luminous organs in, 740, 746
 See also *Cypris*, etc.
- Ostrich, African. *See* *Struthio*.
 American. *See* *Rhea*.
 eye of, 399
- Otariidae. *See* Sea-lions.
- Otter, 445
 accommodation in, 654, 655
 optic axis, 688
 shrew. *See* Shrew, otter-sphincter muscle, 468
- Otus bakkamæna*, iris, Pl. XI
- Owls, ciliary muscle, 407
 colour vision in, 630
 eyes of, 399, 605
 immobility of, 695
 shape of, 402
- fovea, 417, 418
- iris, 407
- lens, 409
- pecten, 411
- threshold to light, 674
 absolute, 617
- visibility to infra-red, 620, 630
- Owls, visual acuity of, 662
 field, binocular, 682, 683, 684
 uniocular, 670, 672
 See also *Bubo*, *Otus*, *Strix*.
- Ox. *See* Cattle.
- Oxybelis*, iris, 371
- Oysters, 196
 light-shadow reflex, 574
- pearl. *See* *Aricula*.
- P
- Pachydactylus maculatus*, eyelids lacking in, 367
- Palamon*, colour changes in, 91
 rhythmic, 20
- Palæmonetes*, colour changes in, 94
 retinal pigment, migration of, 555
- Palaeocortex, 543
- Palaeognathæ. *See* Ratitæ.
- Pallial eyes, in bivalves, 201
- Pan*. *See* Chimpanzee.
- Panda (*Ailurus*), 445
 pupils, 471
 giant (*Ailuropoda*), nictitating membrane, 493
- Pandalus*, visual pigments in, 121
- Pangolin, 442, 445
- Pantodon*, visual field, binocular, 680
- Pantopoda. *See* *Pycnogonida*.
- Papio*. *See* Baboon.
- Paracentrotus lividus*, sensitivity of, 184
- Paralichthys albifigatus*, colour changes in, 92
- Paramæcium*, 179, 180
 geotaxis in, 45
 klinokinesis in, 36
 modified by electric shock, 571
- bursaris*, reproductive cycle in, 16
- Parapineal organ. *See* Parietal organ.
- Parasites, external, degenerate eyes in, 734
 internal, degenerate eyes in, 733
- Paraventricular nucleus, 557
- Parazoa, 181
 See also *Leucosolenia*.
- Parietal eye, of lamprey, 713, 716, 717
 lizard, 715, 716, 718
 Sphenodon, 715, 716
 origin of, 242
- foramen, in *Sphenodon*, 715
- organ, 538, 713

- Parietal organ, accessory, 715
function of, 719
- Parrots, eyelids, 424
eyes of, 399
ocular movements of, 696
reproductive cycle in, 17
visual field, binocular, 684, 685
See also Chrysotis.
- Pars intercerebralis, in insects, 555
- Parus*, panoramic vision in, 683
visual acuity, 663
- Passer domesticus*, 408
ciliary venous sinus, 408
colour vision of, 630, 632
orbit and brain, 424
reproductive cycle in, 17
summation, retinal, 660
visual acuity of, 662
cells, 419
- Passeriformes, accommodation in, 651
bifoveate retina, 418
eyes, shape of, 402
pecten, 412
time-memory in, 22
See also Corvidæ, Hirundo, Passer, etc.
- Passerita prasina*, 674
iris, Pl. IX
pupil, 388, Pl. IX
visual field, binocular, 684
- Patella*, 197
homing ability of, 575
ocelli, 137, 197
- Paurangiotic retina, 480
- Pauropus*, 211
eyes lacking in, 729
- Pearl-fish. *See Encheliophis.*
- Pearly nautilus. *See Nautilus.*
- Peccary (*Dicotyles*), 445, 458
See also Suoidea.
- Pecora. *See Ruminants.*
- Pecten of birds, 410
function of, 415
histology of, 414
pleated type, 411, 412
vaned type, 411
- Pecten* (scallop), 200
ocelli of, 148, 200
sensory reactions of, 103
vision of, 575
- Pectinate ligament, characteristics in
chelonians, 372
crocodilians, 376
lacertilians, 359
- Pectinate ligament, characteristics in
marsupials, 439
placentals, 463, 464, 469
- Pectunculus*, ocelli of, 151, 201
- Pediculus*, 218
ocelli of, 139
scototaxis in, 60
- Pedipalpi, 214
See also Whip-scorpions.
- Pedunculate body, in arthropods, 521, 524
- Pelagia*, myo-epithelial cells in, 513
- noctiluca*, bioluminescence in, 739, 744, 745, 748
rhythmic, 22, 747
- Pelecanus*, 410
conspicillatus, fundus, 410
- Pelobates fuscus*, pupils, 339
- Pelomyxa*, effect of light on, 7
latent period in, 36
- Penguin, 398
rock-hopper. *See Eudyptes.*
See also Impennes.
- Peragale*. *See* Bandicoot, rabbit.
- Perameles*. *See* Bandicoot.
- Perca*, ocular movements of, 692
fluvialis, optomotor reaction of, 706
- Perception of colour, 619
depth, 667
form, 637
light, 602
movement, 705
size, 667
space, 666
- Perch. *See Perca.*
climbing. *See Anabas.*
- Percidæ, retinal tapetum in, 305, 612
See also *Perca, Luciopercra.*
- Perichaeta*, phototaxis, in, 45
- Periophthalmus*, 326, 694
accommodation in, 655
annular ligament, 295, 296
eyes of, 326
ocular movements of, 694
- Peripatopsis alba*, degenerate eyes of, 724
- Peripatus*, 139, 204
nervous system, 521
eyes of, 138, 205
- Periplaneta*, response to light of, 34, 114
- Perissodactyla, 446
pupils, 472
retinal vascularization, 480
See also Equidae, etc.
- Periwinkle. *See Littorina.*

- Pernis apivorus*, iris, 408
 Persistence-time of vision, 705
Petaurus. *See* Flying phalanger.
Petrogale. *See* Wallaby.
Petromyzon marinus, 260, 716
 brain, 533
 eyes of, 265 ff.
 larva. *See* Ammocetes.
 uveal tract, 266
 visual cells, 269
See also Cyclostomes.
Phaeomatin, 123
Phalacrocorax, 404
 accommodation in, 652, 655
 annular pad, 409
 ciliary muscle, 407
 harderian gland, 425
 iris, 407
 lens, 409
 ocular movements of, 696
 scleral ossicles, 404
 sphincter muscle, 407
bougainvillii, iris, 407
Phalanger, 437
 flying. *See* Flying phalanger.
 spotted (cuscus), 438
 vulpine. *See* Opossum, Australian.
Phalangeridae, 437
Phalangida, 215
Phalaris canariensis (grass), phototropism in, 40
Phascolaretinae, 437
See also Koala.
Phascolomyinae, 437
See also Wombat.
Phengodes, luminescence of, 739
Philanthus triangulum, mnemotaxis in, 78, 79
Phobotaxis, 31
Phoca. *See* Seal.
Phocana. *See* Porpoise.
Phocidae, 445
 accommodation in, 641
 cornea, keratinized, 456
 eye of, 449
 lens, 474
 ocular adnexa, 501
 optic axis, 688
 disc, 486
 pupil, 470, 641, 655
 refraction of, 639
 retina, pure-rod, 610
Phoenicopterus, 407
Phoenicopterus
 retina, 419
ruber, iris, 407
Pholas, bioluminescence in, 736, 740, 745, 748
 ocelli of, 200
 visual pigment in, 120
Pholidota, 445
Pholis, fovea, 310
 Phosphorescence, 747
Photinus, 219
 bioluminescence in, 742, 749
 rhythmic, 22, 747
 vision of, 585
pyralis, bioluminescence in, 740
 telotaxis in, 58
Photoblepharon, luminous organ in, 737, 738
 Photocytes, 251
 Photoglycaemic reflex, 560
 Photo-kinesis, 31, 32, 33
 Photo-mechanical changes in retina, 614, 615
 Photoperiodism, 7
 in animals, 13
 bioluminescence and, 21, 747
 blood constituents and, 13
 centres controlling, 14, 550
 general activity and, 15
 light sensitivity and, 559
 metabolism and, 13, 555, 556, 560
 mitosis and, 13
 ocular tension and, 14, 560
 pigment migration and, 19, 554, 556, 558
 sexual cycle and, 16, 555, 556, 559
 temperature and, 13
 urinary output and, 13
 in plants, 9
 Photophores, 746
 Photopigments. *See* Pigments.
 Photosensitivity, 4, 113
 diencephalon and, 537
 Photostasis, 544
Photostomias guernei, luminous organs in, 743
 Photosynthesis, 4
 Phototaxis, 31, 32, 42
 types of, 47
 Phototropism, 31, 32, 38
 in animals, 39
 in plants, 38, 40

- Photurus pennsylvanica*, luminous organ of, **747**
- Phoxinus*, **294**
colour changes in, **92**, **96**
diencephalon and, **537**
vision in, **625**, **626**
- metabolic rhythm in, **15**
- multiple cones in, **308**
- stroboscopic movement and, **706**
- threshold to light, difference, **617**
- visual acuity of, **660**
- Phronima sedentaria*, **160**
eyes of, **160**
- Phrynomerus*, pupils, **339**
- Phrynosoma*, **365**
colour changes in, **98**
control of, **558**
rhythmic, **20**
fovea, **365**
- Phyllirrhœa*, bioluminescence in, **740**
- Phyllopods, **207**
See also Branchiopods, *Apus*, etc.
- Phyllorhynchus*, pure-rod retina, **610**
- Phyllurus miliaris*, visual pigments in, **122**, **252**
- Phylogeny of vertebrate eye, **237**
- Physeter*. *See* Whale, sperm.
- Physignathus*, fovea, **365**
iris, Pl. V
- Phytohormones, **39**, **549**
- Pieris*, colour vision of, **587**
luminosity-curve of, **586**
vision of, **585**
- Pig (*Sus*), **445**
angle gamma, **677**
blood supply to eye, **499**, **500**
ciliary ganglion, **501**
region, **461**, **462**
- conjunctiva, **491**
glands of, **491**
- cornea, **453**
epithelium of, **452**
- harderian gland, **494**
- lacrimal gland, **493**
- lens, **474**
- Manz's glands, **491**
- Moll's glands, **492**
- nictitating membrane, **493**
- optic axis, **688**
- orbit, **498**
- pectinate ligament, **464**
- retinal vascularization, **479**
- sphincter muscle, **468**
- Pig, vitreous, **476**
- Pigeon. *See* *Columba*.
homing. *See* Homing pigeon.
- Pigment(s), **117**
activity of plants and, **12**
carotenoid, **88**, **118**
dermal sensitivity and, **114**, **117**
integumentary, **85**
migration of, **82**
control of, in crustaceans, **554**
insects, **555**
vertebrates, **558**
pineal organ and, **719**
rhythmic, **19**
- melanin, **87**, **118**
- retinal, in compound eyes, **165**, **168**
migration of, in crustaceans, **165**
control of, **554**
rhythmic, **19**
in insects, **170**
control of, **556**
rhythmic, **19**
in vertebrates, **614**, **615**
control of, **558**, **559**
- visual, **118**
- yellow, in cornea of *Amia*, **321**, **656**
of teleosts, **295**, **656**
of macula, **122**, **656**
- Pigmentary degeneration, primary, light sensitivity and, **559**
photoglycaemic reflex and, **560**
- Pigmentation, effect of light on, **82**
- Pika. *See* Hare, calling.
- Pineal apparatus, **711**, **712**
eye, in fishes, **713**
lamprey, **713**, **716**, **717**
young frog, **714**
origin of, **242**
- gland, Descartes's conception, **711**
in mammals and birds, **716**
man, **715**
reptiles, **716**
- organ, **538**, **713**
hormones and, **550**
function of, **718**
- tumours, **719**
- Pinnipedes, **445**
choroid, **457**
- eyes, shape of, **448**
- lacrimal passages lacking, **494**
- lens, **474**
- ocular adnexa, **501**
- pectinate ligament, **464**

- Pinnipedes, pupils, 470, 612
refraction of, 639
retinal vascularization, 479
sphincter muscle, 468
tapetum cellulosum, 457, 459, 609
- Pipa americana*, 334, 339
pupils, 339
- Piscicola*, ocelli of, 193
- Pithecanthropus*, 445, 755
- Pithecia*. *See* Saki.
- Pithecius*. *See* Langur.
- Pituitary gland, 538
hormones and, 550
intra-ocular pressure and, 561
in vertebrates, 557
- hormone, photoperiodic changes and, 19
seasonal changes and, 21
- Placentals, 429, 441
colour vision in, 633
decussation, chiasmal, 698
diurnal, 604
eyes of, 446 *ff.*, 607
fundi, Pl. XIV, XV
nocturnal, 604
panoramic vision, 686
pupils, contractile, 612, 613
spatial judgment, 704
vision of, 601
visual field, binocular, 687, 689
See also Mammals.
- Placode theory of origin of vertebrate eye, 246
- Placoderms, 234, 235
- Placophora, 196
ocelli of, 196
See also Chiton.
- Plagiostomum*, activity of, 34
- Plaice. *See* *Pleuronectes platessa*.
- Planaria gonocephala*, ocellus of, 134
phototactic reactions of, 572
lugubris, phototaxis in, 43, 45
maculata, tropotaxis in, 55
torva, visual cells of, 128, 134
- Planarians, 34, 187
cave-dwelling, eyes of, 724
nervous system, 519
orthokinesis in, 34
phototactic response in, 33, 572
- Planes*, colour changes in, 92
- Plants, distinction from animals, 510
floral initiation in, 10
hormones in, 12, 39
- Plants, long-day, 11
photoperiodism in, 9
photoreceptors in, 116
photosynthesis in, 4
short-day, 11
- Platyhelminthes, 187
contraction in light, 7
sense organs of, 188
See also Turbellarians, etc.
- Platypus, 430, 431
ciliary body, 434
eye of, 432
posterior segment of, 433
retina, 435
scleral cartilage, 433
- Plecoptera, 218, 220
- Plecostomus*, pupil, 304, 329
- Pleurodeles*, iris vascularization, 347
- Pleuronectes*, ocular movements in, 693
flesus, pupil, 304
platessa, camouflage in, 88
- Plexippus sinuatus*, eyes of, 212
- Plusia gamma*, olfactory sense of, 581
pigment migration in, 19
control of, 556
- Podargus*, pecten, 412
- Poikilochromic animals, 82
- Polarized light, orientation to, 66
mechanism of, 174
- Polecat (*Putorius putorius*), 444, 445
colour blindness of, 634
threshold to light, difference, 618
- Polycelis coronata*, ocelli of, 188
- Polychætes, 190
accommodation in, 591
bioluminescence in, 739, 745, 748
colour changes in, 93
conditioning of, 573
degenerate eyes in, 729
light-shadow reflex in, 573
nervous system, 520
ocelli of, 191
reproductive cycle of, 18
- Polyclad worms, 187
eyes of, 188
neuro-endocrine system, 552
See also *Leptoplana*.
- Polyipnus*, optic nerve of, 310
- Polyodon*, 315
- Polyopthalmus pictus*, ocelli of, 130, 191
- Polypedates reinwardti*, pupil, 339
- Polyphemus*, 209
eyes of, 163, 209

- Polypterini, 235, 278, 315
 eyes of, 320
Polypterus, 278, 320
 eyes of, 320
 median eye of, 713
Polyzoa, 194
 larva, ocelli of, 195
Pomolobus, eyelids in, 311
Pongo. *See* Orang-utan.
Pontellopsis regalis, eyes of, 159, 209
Popillia, response to light, 34
Porcupine, 442, 445
 colour blindness of, 633
 eye of, 447
 optic axis, 688
 retinal vascularization, 480
Porichthys, luminous organs of, 746
Porifera. *See* Sponges.
Porphyropsin, 122
Porpoise, 446
 cornea, 453
See also Cetaceans.
Porthesia caterpillar, phototaxis in, 46
Portunus, colour changes in, 92
Postural reflexes, 690, 691
Potamilla, ocelli of, 192
Potamogale. *See* Shrew, otter.-
Potto, 443, 607
See also Lemuroids.
Pouchetia, eye-spot of, 126
Prairie-dog, 445
 pupils, 472
 visual cells, 482
Prawns, 166
 eyes of, 163, 206
 luminous organs of, 742
See also *Hippolyte*, *Palamon*.
Praying mantis. *See* *Mantis religiosa*.
“Preference” technique, 568
 colour vision and, 623
Primates, 443
 accommodation in, 654
 angle gamma of, 677
 area centralis, 485
 canal of Schlemm, 473
 cerebral cortex, 543
 removal of, 545
 chiasmal decussation, 487, 698
 ciliary cleft, 463
 muscle, 462
 processes, 467
 region, 460, 463
 colour vision of, 635
 Primates, diurnal, 604
 extra-ocular muscles, 495
 eyes of, 450
 fovea, 486, 659
 harderian gland, 494
 iris vascularization, 468
 lateral geniculate body, 489, 490, 541
 lens, 474
 capsule, 653
 sutures of, 474, 475
 Moll's glands, 492
 neuro-endoerine system, 557
 nictitating membrane, 493
 nocturnal, 604
 occipital cortex, removal of, 546
 ocular movements of, 696
 orbit, 498
 pectinate ligament, 464
 pineal organ, 715
 pulvinar, 542
 pupils, 471
 reactions of, consensual, 700
 refraction of, 639
 retina, 483, 616
 vascularization of, 477, 479
 retractor bulbi, 495, 496
 spatial judgments of, 704
 summation, geniculate, 611
 vision of, 601
 visual acuity of, 663, 664
 cells, 482, 483
 field, binocular, 689
 uniocular, 670
 zonular fibres, 475, 476
Pristis, 279
Proboscidea, 446
See also Elephants.
Procellaria pelagica, 420
 green oil-droplets, 420
Proctacanthus, circus movements in, 54
 telotaxis in, 59
Procyon. *See* Raccoon.
Procyonidae, 445
 pupils, 471, 472
Pronghorn, lacrimal gland absent in, 493
See also Ruminants.
Propithecus, diurnality of, 604
Prosencephalon. *See* Fore-brain.
Prosimians, 443
 area centralis, 485
 diurnal, 604
 eyes, shape of, 448
 iris pigmentation, 469

- Prosimians, nocturnal, 604
 optic axis, **688**
 orbit, 498
 pupils, 472, **612**
 tapetum cellulosum, 459
See also Lemurs, Tarsier.
- Prosobranchs, 196
 neuro-secretory cells, 552
See also *Buccinum*, *Patella*, etc.
- Proteus anguinus*, 334, **726**
 eyes of, 727, 728
 pineal organ, 714
 retina, **728**
- Protocerebrum, in arthropods, 521
- Protochordates, 227
 eyes of, 227
 luminous organs, 740
 nervous system, 530
 neuro-endocrine system, 552
See also *Balanoglossus*, *Amphioxus*, *Ascidia*.
- Protopterus*, **312**
 eyes of, 312
- Prototheria. *See* Monotremes.
- Protozoa, 179, 180, 510
 bioluminescence in, 738
 contraction in light, 7
 eye-spots, 125
 intercellular fibrils, 511, **512**
 reproductive cycle of, 16
 tropisms in, 570
See also *Amœba*, *Euglena*, etc.
- Protractor lentis muscle, in anurans, 336, 648
 in selachians, 285
- Protura, 217, 218
 eyes lacking in, 729
- Psephurus*, **315**
- Psettodes*, **329**
 migratory eyes in, 329
- Pseudocone eye, 167
- Pseudomonas lucifera*, luminescence of, 738
- Pseudoscorpions, 214, **215**
 eyes of, 214
- Psocoptera, 218, 220
- Psylla*, reproductive cycle in, 17
- Ptarmigan (*Lagopus mutus*), colour changes in, 21
- Pteraspis*, **234**
 eyes of, 238
 pineal organ of, 713
- Pterocera lambis*, 198
 ocelli of, 142, 197
- Pterois*, iris, 371
- Pteromys*. *See* Flying squirrel.
- Pteropus*. *See* Flying fox.
- Pterotrachea*, accommodation in, 590
 eyes of, 199
- Pterygotus anglicus*, **157**
 eyes of, 157
- Ptychodera*, luminescence in, 740
 rhythmic, 22, 747
- Puffinus puffinus*, 407
 iris, 408
 navigation by, 63, **64**
 retina, 417
 sphincter muscle, 407
- Pulex irritans*, 219
- Pulmonates, 196
 eyes of, 197
 nervous system, **528**
See also *Helix*, *Limax*, etc.
- Pulvinar, 542
- Pupil, characteristics in
 anurans, **339**
 birds, 408
 chelonians, 372
 chimæras, 290
 chondrostean, 317
 crocodilians, 376
 holosteans, 322
 lacertilians, **359**
 marsupials, 439
Neoceratodus, **313**
 placentials, 470, **471**, **613**
 selachians, **286**
 snakes, 388
Sphenodon, 381
 teleostean, 303, **304**
 urodeles, 347
 contractile, occurrence of, 612
 double, in *Anableps*, 324
 in *Leptognathus*, 325
 stenopeic, 612, 641
- Pupillary reactions, colour vision and, 621
 consensual, 700
 in amphibians, 339
 birds, 408
 cephalopods, **146**, 575
 crocodilians, 376
 lacertilians, 361
 placentials, 472
 teleosts, 304
- Purkinje shift, colour vision and, 622

INDEX

Purkinje shift, in birds, 629

- crocodilians, 628
- fishes, 625
- frogs, 627, 628
- insects, 586

Pyenogonida, 217

Pygopus lepidopus, conus, 363

- fundus, 362

Pyramidalis muscle, in birds, 424

- chelonians, 374
- crocodilians, 378

Pyrophorus, luminescence in, 748

Pyrosoma, luminescence in, 740, 745

Pyrrhula, ciliary venous sinus, 408

- lens, 409

Python, ciliary venous sinus, 386

- iris, 386
- pupillary contraction, 388
- sclera, 385

molurus, fundus, 390

regius, iris, Pl. IX

reticulatus, iris, Pl. IX

See also Spilotes.

Q

Quadratus muscle. *See Bursalis.*

Quadrigeminal body, 534

R

Rabbit, 445

angle gamma of, 676

anterior chamber, 465

area centralis, 485

blood supply to eye, 498, 499, 500

cerebral cortex, 543

- removal of, 545

ciliary ganglion, 501

region, 461, 462

colour blindness of, 633

conjunctiva, 491

cornea, 453

- epithelium of, 452

- nerves of, 454, 455

drainage channels, 473

gonadotrophic hormone, control of, 559

iris vascularization, 468

lacrimal passages, 494

lens capsule, 653

- sutures, 474, 475

Rabbit, Moll's glands lacking, 492

movement, perception of, 705

nictitating membrane, 493

ocular movements, 692

optic nerve-head, 488

orbit, 497

pectinate ligament, 464

refraction of, 639

retina, 481, 484, 485

- vascularization of, 477, 478, 480

urinary secretion, 560

visual field, binocular, 673, 686, 687

vitreous, 476

Raccoon, 444, 445

- colour vision of, 634

fundus, Pl. XIV

- threshold to light, difference, 618

Radiolaria, 179, 180

- luminescence in, 738, 748

Radio-receptors, 116

Raja, 287

- accommodation in, 647

- colour changes in, 95

- ramp-retina, 642, 643

batis, pupils, 287

clavata, 280

- eye of, 275

- pupils, 287

miraletus, visual cells, 288

montagui, 280

Ramp-retina, 642, 643

Rana, 334, 335, 342

- area centralis, 344

- brain, 533

- colour changes, 98

- eye of, 334, 336

- fundus, 341

- hue discrimination, 627

- pineal organ, 714

- pupils, 339

- Purkinje shift, 628

- visual cells, 342

catesbeiana, iris, 337

- pupils, 339

clamata, phototaxis and temperature,

- 627

esculenta, area centralis, 344

- iris, 337

halecina, pupils, 339

pipliens, visual cells, 250, 344

sphenocephala, iris, 371

temporaria, fundus, Pl. III

- iris, Pl. III

- Rana temporaria*
 migration of retinal pigment, 614, **615**
 pupillary contraction, 340
 retina, 343
 triple cones, 308, 342
 visual cells, 344
- Ranatra*, telotaxis in, 56
- Ranzania truncata*, eyes of, 273
- Rat, 445
 blood supply to eye, 498
 colour blindness of, 633
 cornea, 453
 epithelium of, **452**
 distance, judgment of, 704
 eye of, **605**
 lacrimal passages, 494
 Moll's glands lacking, 492
 neuro-secretory cells, **551**
 ocular movements, 696
 optic axis, **688**
 retina, rod-rich, 610
 threshold to light, difference, 618
 visual acuity, 663, 665
 cells, 483
- Ratite, 397
 annular pad, 409
 pecten, 411, 413
See also Aptynx, Struthio, etc.
- Rattlesnake. *See Crotalus.*
- Rattus. *See Rat.*
- Raven, 402
 eye, shape of, 402
See also Corvidæ.
- Ray. *See Raja.*
- Reflexes, conditioned. *See Conditioned reflexes.*
- pupillary. *See Pupillary reactions.*
- Refraction of vertebrates, 638
 amphibians, 638
 birds, 639
 cyclostomes, 638
 fishes, 638
 mammals, 639
 reptiles, 639
- Reptiles, 353
 accommodation in, 648, 649
 brain, **533**
 transection of, 534
 cerebral cortex, 543
 ciliary ganglion, 501
 colour changes in, 82
 control of, 98, 558
 mechanism of, 87
- Reptiles, colour changes in, rhythmic, 20
 colour vision of, 628
 diurnal, 603
 eyes of, 353 *ff.*
 degenerate, 731
 median, 715, 716
 fore-brain, 543
 removal of, 545
 lateral geniculate body, 541
 median eyes, 715, 716
 mid-brain, 535
 migration of retinal pigment, 614
 of visual cells, 616
 movement, perception of, 705
 neuro-endocrine system, 557
 nocturnal, 603
 ocular movements of, 694
 optic thalamus, 540
 primitive, 234, 235
 pupillary reactions, 700
 refraction of, 639
 reproductive cycle in, 17
 control of, 559
 spatial judgments of, 702
 tectum, 535
 telencephalon, 543
 vision of, 599
 visual acuity of, 661
 field, binocular, 682
 pathways, **538, 544**
- Respiration rate and colour vision, 623, 625
- Rete of Hürlimann, 500
- Retina, characteristics in
Anableps, 325
 anurans, 341, **343**
 birds, **418**, 419
 cephalopods, **145**
 chelonians, 372, **373**
 chimæras, 290
 chondrosteans, 318
 crocodilians, 377
 dipnoans, 313
 holosteans, 322
 invertebrates. *See Retinule, Visual cells, etc.*
 lacertilians, 361, **363**
 lamprey, **268**
Latimeria, 315
 marsupials, 439
 monotremes, **435, 436**
 placentals, 482, **483, 484**
Pterocera, **142**

- Retina, *characteristics in*
 selachians, 287, **288**
 snakes, 389, **390**, 392
Sphenodon, 381, **382**
 teleosts, 304, **306**
 tubular eyes, 323
 urodeles, 347, **348**
 vertebrates, 248, **249**
 embryology of, 239
 anangiotic, 480
 central artery of, 477
 converse, 146
 corrugated, **642**, 643
 diurnal eyes, in, **610**, 611
 duplicated, in tubular eyes, 323, 643
 holangiotic, 479
 inverse, 146
 inverted, 146
 in arachnids, 149
 molluses, 147
 vertebrates, 241
 merangiotic, 479
 nocturnal eyes, in, 609, **610**
 paurangiotic, 480
 photo-mechanical changes in, 614
 pure-cone, 611
 in *Calamoichthys*, 320
 colubrid snakes, 392
 geckos, 365
 Sciuridae, 483
 pure-rod, 610
 in chimæras, 290
 deep-sea teleosts, 305
 echidna, 436
 Lepidosiren, 313
 nocturnal geckos, 364, 365
 placentals, 482, 610
 selachians, 288
 ramp-, **642**, 643
 rod-rich, 610
 structure of, and accommodation, 656
 summation in, 611, 659
 vascularization of, in vertebrates, **476**,
 477, **478**, 482
 verted, 146, 241
See also Visual cells.
 Retinal mosaic, perception of movement
 and, 705
 visual acuity and, 656
 pigment. *See* Pigment, retinal.
Retinella, 129
Retinule, 157
- Retractor bulbi, *characteristics in*
 anurans, 345
 chelonians, 374
 lacertilians, 366, 368
 marsupials, 441
 monotremes, 437
 placentalts, 495, **496**, 501
Sphenodon, **383**
 abnormal, in man, **497**
 bursalis muscle, in lacertilians, 368
Rhabdites, 128
Rhabdome, 141, 158
Rhacophorus leucomystax, iris, Pl. III
Rhamdia, eyes of, 725
Rhea, 397, **410**
 fundus, 410
 pecten, **413**
Rheotaxis, 73
Rhineura floridana, degenerate eyes of, 733
Rhinoceros, 444, 446
 cornea, 453
 eyes of, 450
 fundus, Pl. XV
 nictitating membrane, 492
 optic axis, **688**
 pupils, 472
 retinal vascularization, 480
 retractor bulbi, 496
 sciera, 450
Rhinoglena, frontal eye of, **194**
Rhinophis, eyelids, 393
 eyes, degenerate, 731
Rhipidistia, 234, 235
Rhizopods, 180
 contraction to light, 7
See also *Amaba*, etc.
Rhodopsin, 122
Rhomencephalon. *See* Hind-brain.
Rhynchocephalians, 353, 379
 eyes of, 380
See also *Sphenodon*.
Rhythm, diurnal. *See* Photoperiodism.
 tidal, in crustaceans, 15'
 molluses, 15
 protozoa, 16
Rhytina, 446
Roach. *See* *Rutilus*.
Robin. *See* *Erythacus*.
 American. *See* *Turdus migratorius*.
Rochon-Duvigneaud, André-Jean-
 François, **382**, 333
Rodents, 445
 accommodation in, 653

- Rodents, area centralis, 485
 blood supply to eye, 498
 chiasma, 487
 ciliary muscle, 461
 processes, 466
 region, 460, **462**
 colour vision in, 633
 cornea, 453
 diurnal, 604
 lacrimal duct, 493
 lens, 606
 Moll's glands lacking, 492
 nictitating membrane, 493
 occipital cortex, removal of, 545
 ocular movements in, 696
 optic axis, **688**
 orbit, 497
 pectinate ligament, 464
 pupils, 470, 471, 472
 reactions of, 700
 refraction of, 639
 retinal vascularization, 479, 480, 481
 retractor bulbi, 495
 tapetum fibrosum, 458, 609
 vision of, 601
 visual field, binocular, 687
 zonular fibres, 475
See also various species (Rat, Squirrel, etc.).
- Rods, in invertebrate retina, 128
 in vertebrate retina, 250
 development from cones, 252
 differentiation from cones, 251
 double, 253
 green (Schwalbe's), in anurans, 342, **344**
 violet, in anurans, 342
 in urodeles, 349
See also Visual cells.
- Rorqual. *See Whale, blue.*
- Rotifera, **194**
 cerebral eye of, **194**
 dermal sensitivity of, 32, 114
 frontal eye of, **194**
- Rudimentary eyes, 721
 in *Limulus*, 163, 212, 552
- Ruminants, 446
 area centralis, 485
 cornea, 453
 corpora nigra, 470
 hyaloid artery, 481
 pupils, 472
See also Sheep, Cattle, Deer, etc.
- Rutilus*, double cones in, 308
 membrana vasculosa, 299, **300**
- S
- Saccopharynx*, degenerate eyes in, 724
- Sacculina*, 208
 eyes lacking in adult, 734
- Sagitta*, **194**
 ocelli of, 194
- Saki*, 443
- Salamanders*, 346
 eyes of, 346
 degenerate, 726
 larvae, colour changes in, 20
 control of, 558
See also Axolotl.
See also Urodeles. Ambystoma, Salamandra.
- Salamandra*, 346
 colour vision of, 628
 retina, 347
maculosa, fundus, Pl. IV
 iris, 347
- Salmo salar*, iris, Pl. II
trutta, 308
 choroidal gland, **297**
 chromatophores, 88
 eye of, **276**, **293**
 pineal apparatus, 714, 715
 retina, **306**
 triple cones, 308
 visual field, binocular, 679
- Salmonidae*, cornea, 294
 double cones, 308
 eyelids, 312
 scleral cartilage, 292
- Salpa*, eyes of, 228
- Salticus*, **214**
 ocellus of, **140**
 scenicus, eyes of, **213**
- Sandalops*, **203**
 stalked eyes of, 203
- Sapphirina*, eyes of, 209
- Sarcodina*. *See Rhizopods.*
- Sarcophaga*, 58
 cornea, transparency of, 584
 nervous system, **522**
 orientation to polarized light, 582
 telotaxis in, **57**
- Sarcophilus*. *See Tasmanian devil.*
- Sarcoptes scabiei*, **216**

- Sarsia*, 139, 182,
 ocellus of, 139
- Saturnia pernyi*, development of eye, 156
- Sauropsida*. *See Reptiles and Birds.*
- Saw-fly*, 220, 223
 larvæ, ocelli of, 141, 223
 See also Neodiprion.
- Saxicola*, 417
 infula in, 417
- Scallop*. *See Pecten.*
- Scalops aquaticus*, degenerate eyes in, 733
- Scaphiopus*, pupils, 339
- Scaphirhynchus*, 315
 pupils, 317
- Scaphopods*, 196
 neuro-secretory cells, 552
 sense organs, 197
- Sceloporus*, retinal pigment in, 361
- Schistocerca gregaria*, dorsal light reaction
 in, 74
 ommochromes in, 123
- Schistosoma*, 187
- Schizopods*, eyes of, 160, 591
 See also Stylocheiron, Mysids.
- Schlemm*, canal of, 473
- Sciuridæ*, 445
 accommodation in, 653
 area centralis, 485
 choroid, 457
 ciliary region, 460
 colour vision in, 633
 diurnality of, 604
 lens, 474
 ocular movements of, 696
 optic axis, 688
 disc, 686
 refraction of, 639
 retina, 485
 pure-cone, 612
 vascularization of, 479
 vision of, 601
 visual acuity of, 663
 cells, 483
 field, binocular, 689
- Sciromorpha*, 445
- Sciurus vulgaris*. *See Squirrel, common.*
- Sclera*, characteristics in
 amphibians, 334
 birds, 403
 chelonians, 369
 chimaeras, 290
 chondrosteans, 317
 dipnoans, 313
- Sclera*, characteristics in
 holosteans, 321
 lacertilians, 356
 lamprey, 265
 Latimeria, 315
 marsupials, 438
 monotremes, 433
 placentals, 450
 selachians, 281
 snakes, 385
 Sphenodon, 380
 teleosts, 292
- Scleral cartilage*. *See Cartilage.*
 ossicles. *See Ossicles.*
- Scolopendra morsitans*, 210
- Seombridae*, adipose lids in, 311
 See also Thunnus.
- Scopelarchus analis*, tubular eyes of, 323
- Scorpaena*, 302
 fundus, 306
 tensor choroideæ, 302
 twin cones, 308
- Scorpion*, 211
 ocellus, lateral, 140, 141, 211
 median, 150, 212
 pseudo-. *See Pseudoscorpions.*
 whip-. *See Whip-scorpions.*
- Scotocytes*, 251
- Scototaxis*, 31, 60
- Scutigera*, 160
 eyes of, 160, 210
- Scylliorhinus*, 287
 ciliary papilla, 284
 optic pedicle, 290
 pupils, 286, 287
 canicula, 280
- Scyllium*, accommodation in, 647
 blinded, behaviour of, 598
 colour changes in, 95
- Scynnus*, brain, 533
- Scyphozoa*, 182
 See also Jellyfish.
- Sea-anemones*, 182
 nerve fibrils in, 514
 nervous responses, 515, 516
 phototactic reactions of, 571
 See also Actinia.
- Sea-cows*. *See Sirenians.*
- Sea-cucumbers*, 184
 sensitivity of, 184
 See also Holothuria.
- Seagulls*. *See Laridæ.*
- Seal*, 445

- Seal, bearded, pupils, 470, 472
 common, 502
 fundus, Pl. XIV
 harp, eye of, 447
See also Phocidae, Pinnipedes.
- Sea-lilies, 184
- Sea-lion, 444, 445
 pupils, 470
See also Pinnipedes.
- Sea-spiders, 217
 eyes of, 149, 217
- Sea-squirts, 228
See also Ascidia.
- Sea-urchins, 184
 sensitivity of, 185
See also Diadema.
- Secretary bird. *See Serpentarius.*
- Sedentaria, 190
- Sedentary habit, degenerate eyes due to, 722
- Selache maximus*, 283
 extra-ocular muscles, 290
 pupils, 287
- Selachians, 235, 278
 accommodation in, 647
 brain, 533
 central nervous system, 532
 ciliary ganglion, 501
 colour changes in, 95
 control of, 558
 vision in, 624
 electric organs in, 751
 eyes of, 279 ff., 282
 degenerate, 724
 labyrinths, 534
 luminous organs in, 741
 nocturnality of, 603
 palaeocortex, 543
 pineal apparatus, 713, 714
 pupillary reactions, 612
 consensual, 700
 refraction of, 638
 retina, pure-rod, 610
 secretory mechanism, 267
 summation, retinal, 660
 tapetum, retinal, 612
 threshold to light, absolute, 616
 vision of, 598
 visual field, binocular, 679
- Semotilus*, colour preference in, 624
 hue-discrimination, 626
 threshold to light, difference, 617
- Sensitivity to light, in insects, 584
 in vertebrates, 602
 absolute, 616
 binocular, 680
 dermal, 113
- Sepia*, 201
 colour changes in, 85, 92
 conditioning of, 576
 eyes of, 145, 202
 reactions of, 528
 vision of, 576, 577
- Seps*, transverse muscle in, 357
- Sergestes prehensilis*, photophore of, 746
- Serpentarius cristatus*, 413
 pecten, 413
- Serranus*, fovea, 309, 310
 ocular movements, 693
 cabrilla, 693
 accommodation of, 645
 optic nerve, 310
- Sertularia* hydroid, pigment in, 120
- Sexual cycle in animals, 16
 control of, in crustaceans, 555
 in insects, 556
 vertebrates, 559
- Shadow-reflex, 45, 572, 574
- Shearwater. *See Puffinus.*
- Sheep (*Ovis*), 446
 angle gamma, 677
 area centralis, 485
 blood supply to eye, 499, 500
 corpora nigra, 470
 harderian gland, 494
 lens capsule, 653
 optic axis, 688
 orbit, 498
 pectinate ligament, 464
 photoperiodism in, 18
 pupillary reactions, 472
 retractor bulbi, 496
 vitreous, 476
- Shell-eyes, in *Chiton*, 196
- Shock-reaction, 510
- Shrew, 441
 elephant, 441
 otter, 441, 443
 tree-, 441, 442
 diurnality of, 604
 lens, 474
- true, 441
 ciliary region, 460, 467
 eyes of, 449
 retina, pure-rod, 610

- Shrew, visual cells, 482
 Shrike. *See Lanius.*
 Shrimps, 206
 eyes of, 163, 206
 luminescence in, 740, **743**, 746
 See also Crago, etc.
Sialia, fundus, 410, Pl. XII
 Sign-stimuli, in insects, 588
 in vertebrates, 664
 Siluridæ, blinded, dermal sensitivity in, 114
 degenerate eyes in, 725
 uveal tract, 299
 visual cells, rhythmic migration of, 19
 See also Ameiurus.
Simenochelys parasitica, 734
 eyes of, 735
 Simians, 443
 See Anthropoidea.
Simiidae, 443
 See also Apes, anthropoid.
Simocephalus, conditioning of, 578
 Simple eyes, 129
 composite, 152
 ommatidial, 159
Sinapis alba (white mustard), heliotropism in, **38**
 Sinus gland, in crustaceans, 552, **553**
 photoperiodic changes and, 19
Siphonops, eyes of, 730
Siren, eyes of, 349
 Sirenians, 446
 lacrimal gland lacking, 493
 lens, 474
 ocular adnexa, 502
 pupils, 472
 refraction of, 639
 retinal vascularization, 480
 retractor bulbi, 495, 496
 visual acuity of, 654
 Size, perception of, 667, 701
 Skunk (*Mephitis*), 445
 nictitating membrane absent, 493
 optic axis, **688**
 Sleep-movements in plants, 9, 10
 Sleep-rhythms in mammals, 13
 Sloth, 445
 2-toed, 445, **607**
 pupils, 612
 3-toed, 445
 Slow eyes, in insects, 584, 706
 Slow-worm. *See Anguis.*
 Slugs, 196, 197
 eyes of, 197
 vision of, 574
 See also Gastropods, Limax.
 Smell. *See Olfactory sense.*
 Snails, 196, **198**
 conditioning of, 575
 eyes of, 197
 reproductive cycle in, 17
 vision of, 574
 See also Gastropods, Helix.
 Snakes. *See Ophidians.*
 river-. *See Homalopsinae.*
 sea-. *See Hydrophiinae.*
 tree-. *See Dryophis*, etc.
 Snipe, visual field, binocular, 685
 Soemmerring, D. W., **258**, 259
Soleidae, 328
 cornea, 296
 ocular movements of, 693
 scleral cartilage, 294
Solenogastres, 196
 sense organs of, 197
Solenopsis, compound eyes of, 172, 225
Solifugæ, 216
 Sondermann, canals of, 473
Souslik, 445
 colour vision in, 634
 retina, 485
 Space, perception of, in insects, 589
 in vertebrates, 666
Spadella, 194
 ocellus of, 135, **152**, 194
Spalax, degenerate eyes of, 733
 Spatial judgments, 700
 " Spectacle," primary, 265, **266**
 in cyclostomes, 265
 secondary, 255, **266**
 in lizards, 366
 snakes, 385, 392
 teleosts, 312
 Spectral sensitivity of honey-bee, 585
Sphaerodactylus, fusion frequency in, 252
 argus, visual cells, 365
 parkeri, visual cells, 252, 365
Sphaeroma lanceolata, **206**
 Sphenisciformes. *See Impennes.*
Spheniscus, visual field of, 685
Sphenodon punctatus, **379**
 accommodation in, 651
 ciliary region, **380**
 colour vision of, 628
 eyes of, 380 *ff.*
 fovea, **382**, **659**

- Sphenodon punctatus*
 fundus, Pl. VIII
 iris, **381**
 parietal eye, **715**, 716, 718
 function of, 719
 pineal apparatus, **714**, **715**
 pupil, contractile, 612
 retina, **382**, 610
 visual acuity, 661
 cells, **382**
- Sphincter pupillæ muscle, characteristics in*
 anurans, 337
 birds, 407
 lacertilians, 357
 monotremes, 436
 placentals, 468
 selachians, 285
 snakes, 387
Sphenodon, 381
 teleosteans, 303
- Sphyraña tiburo*, 327
 eyelids, 289
 eyes of, 327
zygæna, **327**
 extra-ocular muscles, 327
 optic pedicle, 290
- Spiders, 213
 cave-. *See Anthrobia.*
 garden-. *See Araneus.*
 house-. *See Tegenaria.*
 jumping, conditioning of, 580
 vision of, 580
 See also Evarcha, Salticus.
 ocelli of, **139**, **140**, **149**, 150, **213**
 ripple-, vibrotropism in, 579
 web-spinning, menotaxis in, 61
 vibrotropism in, 579
 vision of, 579
 See also Araneus, Tegenaria.
 wolf-. *See Lycosa.*
- Spilotes variegatus*, head of, **384**
- Spinachia*, colour preference in, 624
- Spirographis*, phototropic movements in, 39
- Spondylus*, 201
 ocelli of, 148, 201
- Sponges, 181
 myo-epithelial cells, **513**, 514
 reactions of, 513
 See also Leucosolenia.
- Sporozoa, 180
- Springtails. *See Collembola.*
- Squalus*
 chromatophores, 97
 eye of, **275**
 pupils, 285, 287
- Squatina*, 288
 pupil, **286**
 visual cells, 288
- Squids, 196
 colour changes in, 85, 93
 eyes of, 143, 202
 luminescence in, **740**, 746
See also Loligo.
- Squirrel, African, pupils, 472
 common, 445
 colour vision of, 633
 pupils, 472
 retina, **484**
 vascularization of, 479
 visual cells, 482
- flying. *See Flying squirrel.*
 ground. *See Souslik.*
See also Sciuridæ.
- Stalked eyes, in cephalopods, **203**
 in fishes, 326, **327**
 insects, **223**, 225
- Starfish, 184, Pl. I
 nervous system, 516
 reactions of, 516
 visual organs, 185
See also Asterias.
- Stargazer. *See Astroscopus, Uranoscopus.*
- Starling, Ernest Henry, **548**, 549
 (bird). *See Lamprocolius, Sturnus.*
- Statocysts, in cephalopods, 202
 in comb-jellies, 182
 fishes, **74**, 76
 scaphopods, 197
 tunicates, 228
- Stato-kinetic reflexes, 667
- Steatornis*, iris, 407
- Stemmatia, 220, 222
- Stenopœic pupils, 612
 accommodation and, 641
- Stenostomum*, sense organs of, 189
- Stentor*, **179**, 180
cœruleus, klinotaxis in, 49, 50
 photosensitivity of, 125
- Stephanoaëtus*, **606**
- Stereoscopic vision, 698, 700
- Sterna hirundo*, **419**
 bifoveate retina, 419
- Stick-insect. *See Dixippus.*

- Stickleback, visual acuity of, 660
See also Gasterosteus, Eucalia, Spinachia.
 Stigma, 125
Stizostedion, visual acuity of, 657
 visual cells, 307
 Stoneflies, 218
Strepsiptera, 220, 221
Streptopelia, 398, 681
 Strigidae. *See Owls.*
Stringops, 418
 fovea, 418
 visual field, binocular, 685
Strix aluco, anterior chamber, 404
 fundus, 410, Pl. XII
 head of, 402
 visibility of infra-red to, 630
flammea, pecten, 412
 Stroboscopic movement, 706
Strongylocentrotus, protection from light, 39
Struthio, 397, 405
 ciliary muscle, 406
 eye-shine, 405
 infula, 417
 pecten, 411, 413
Sturnus vulgaris, reproductive cycle in, 17
Stygicola, degenerate eyes in, 725
Stylaria lacustris, ocellus of, 136
Stylocheiron, 160
 eyes of, 160, 161
 luminous organ, 740
Stylophorus, 322
 tubular eyes of, 324
Stylophthalmus paradoxus, 328
 eyes of, 327
Stylops, 221
 eyes of, 151, 221, 734
 Suboesophageal ganglion, in arthropods, 521, 522
 Subscleral sinus, in lamprey, 266
 Suctorian, 179, 180
 Suidæ, 445
See also Pig.
Sula bassana, 407
 area centralis, 421
 ciliary muscle, 407
 distance, judgment of, 703
 sphincter muscle, 407
 Summation, geniculate, 611
 retinal, 611
 visual acuity and, 659
 Sun-navigation. *See Light-compass reaction.*
 Suoidea, 445
 pupils, 472
 tapetum lacking, 458, 609
See also Pig, Hippopotamus, etc.
 Superposition eye, 169, 174
 Supplementary layer of cornea, 296
 Supra-oesophageal ganglion. *See Cerebral ganglion.*
 Supra-optic nucleus, 557
 Suricate, 459
 diurnality of, 604
 pupils, 472
 tapetum lacking, 459, 609
 Suspensory ligament, of iris, 464
 of lens, in chondrostearans, 317
 in holosteans, 321
 selachians, 285
 teleosts, 302
 urodeles, 347
See also Zonular fibres.
 Sutures (lens), in birds, 409
 in placentals, 474, 475
 selachians, 287
 teleosts, 304
 Swallow, bifo veate retina in, 418
See also Hirundo.
 Swan, eye of, 399
 Sweat glands, conjunctival, 491
Sycon, 181
 myo-epithelial cells, 513
Synapta, sensitivity of, 184
Synchæta, cerebral eye of, 194
Syngnathus, 309
 colour preference in, 624
 fovea of, 309
 visual field, binocular, 680
Syrnium. See Strix.

T

- Tabanidæ, eyes of, 225
See also Tabanus, Ancala.
Tabanus, 219
 nervous system, 522
Tachyglossus. See Echidna.
 Tactile sense, 116
 colour changes and, 105
 in crustaceans, 579
Dytiscus, 104
 fishes, 598
 cave-, 726
 insects, 581

- Tactile sense, in myriapods, 578
Pecten, 103
 spiders, 579
 vertebrates, 597
 worms, 572
 spatial judgment and, 667
 vibrissæ, of camel, 492
 of cat, 492, 601
 rodents, 601
- Tænia*, 187
- Talitrus saltator*, 61
 luminous bacteria in, 738
 menotaxis in, 61, 62
 orientation to polarized light in, 73
 time-memory in, 22
- Talpa*. *See* Mole.
- Tapetal pigment, migration of, 19
- Tapetum (lucidum), in compound eyes, 165, 168
 in crustaceans, 165
 insects, 168
 in simple eyes, 147
 in arachnids, 149, 150
 crustaceans, 152
 molluscs, 148
 in vertebrate eyes, 606
 cellulose, 609
 in placentals, 459
 choroidal, non-occlusible, 608
 in chondrostearns, 317
Latimeria, 315
 occlusible, 612
 in selachians, 281
- fibrosum, 609
 in marsupials, 438
 placentals, 457
 teleosts, 297
- retinal, non-occlusible, 608
 in chondrostearns, 318
 crocodilians, 377
 deep-sea teleosts, 305
Didelphys, 440
Pteropus, 459
 occlusible, 612
 in teleosts, 305
- Tapir, 444, 446
 optic axis, 688
 retinal vascularization, 480
- Tarbophis*, retinal vascularization, 301, 390
- visual cells, 392
 field, binocular, 684
- Tarentola*, melanophores of, 87
- Tarsal glands, in mammals, 491
- Tarsier, 442, 443, 613
 area centralis, 485
 eyes, shape of, 448
 fovea, pure-rod, 486
 immobility of eyes, 696, 697
 pupils, 612, 613
 retina, pure-rod, 482, 610
 threshold to light, 674
- Tasmanian devil, 437, 438
 fundus, Pl. XIII
 tapetum fibrosum, 438, 609
 wolf, tapetum fibrosum, 438, 609
- Taste receptors, in bees, 588
 insects, 581
 vertebrates, 534
- Taureodophidium*, degenerate eyes in, 724
- Tautoga onitis*, visual pigments in, 121
- Tealia*, phototactic reactions of, 571
- Tectum, 534, 690
 in birds, 535
 cyclostomes, 534
 fishes, 534
 mammals, 536
- Tegenaria domestica*, 214
 eyes of, 159, 213
 anterior median, 140
- Tegmentum, 535, 690
- Telencephalon, 532, 542
 development of, 542
- Teleosteans, 235, 279
 accommodation in, 645, 646
 archicortex, 543
 blind, 724
 central nervous system, 532
 ciliary ganglion, 501
 colour changes in, 84, 91, 96, 621
 control of, 558
 pineal body and, 92
 vision in, 621, 624
- diurnality of, 603
- electric organs in, 751
- eyes of, 291 ff., 293
 degenerate, 724, 725, 735
- irides, Pl. II
- iris furrow, 337
- lateral geniculate body, 541
- luminous organs, 741
- migration of retinal pigment, 614
 of visual cells, 614
- neuro-secretory cells, 551
- olfaction in, 598
- pineal apparatus, 713

INDEX

- Teleosteans, refraction of, 638
 secretory mechanism of, 267
 tapetum, choroidal, 609
 retinal, 612
 threshold to light, absolute, 616
 difference, 617
 vision of, 598
 visual acuity, 660
 field, binocular, 679
 uniocular, **670**, 672
 pathways, **536**
 Telescope-eyed goldfish, **324**
 Telescopic eyes. *See* Tubular eyes.
 Telo-menotaxis, 61
 Telotaxis, 31, 55
 definition of, 43
 Temperature, diurnal rhythm in, 13
 Tenacular ligament, ciliary, in birds, 405
 in lacertilians, 357
 orbital, in teleosts, 312
Tenebrio larvae, photokinesis in, 114
 Tensor choroideæ, in anurans, 335
 in birds, 406
 teleosts, 295, 302, 646
 Tentaculoeysts, in jellyfish, 183
 Termites, 218, 729
 eyes lacking in, 729
 See also *Calotermes*.
 Terrapin, 374
 See also *Clemmys*, Chelonians.
 Testudinidæ, 369
Testudo, **369**
 ciliary musculature, 372
 colour vision in, 629
 eye of, **370**
 visual cells, **373**
 field, binocular, 682
carolina, iris, **371**
græca, scleral ossicles, 369
Tetragonopterus, iris, Pl. II
 scleral cartilage, 294
Tetraodon, fovea, 310
 Thalamus, optic, 538
Thalassarctos maritimus. *See* Bear, polar.
 Thallophytes (unicellular plants), 510
Thaumatops magna, eyes of, **207**
Thelotornis, fovea, 388, 392
 pupils, 388
 Therapsida, 234, 236
 Thermal sense of snakes, 599, 600, 667
 Thermo-receptors, 116
 Thermotropism, 33
 Thigmotropism, 33
- Threshold to light, absolute, in insects, 584
 in vertebrates, **616**
 binocular, 673
 difference, in insects, 585
 in vertebrates, **617**
 Thrips, 218, 220
 Thrush, 402
 shape of eye, 402
Thunnus, 294
 scleral ossicles, 294
Thylacinus. *See* Tasmanian wolf.
 Thysanoptera, 218, 220
Thysanura, 217, 218
 See also *Lepisma*.
 Ticks, 216, **217**
 eyes of, 216
 Tiger (*Felis tigris*), 445
 area centralis, 485
 extra-ocular muscles, **495**
 pupils, 471
 Time-memory, in arthropods, 22
 in birds, 22
 diurnal rhythm in, 22
 Tinamou, 397
 Titmouse. *See* *Parus*.
 Toad. *See* *Bufo*.
 clawed. *See* *Xenopus*.
 fire-bellied. *See* *Bombinator*.
 obstetric. *See* *Alytes*.
 Surinam. *See* *Pipa*.
Tomopteris, luminescence in, 745
 Topotaxis, 31
 Tornaria of *Balanoglossus*, 227
Torpedo, 281
 accommodation in, 647
 blinded, behaviour of, 598
 cornea, 281
 electric organ of, 751
 pupil, 287
 Tortoise, 372
 See also Chelonians., *Testudo*.
 Toucan, ocular movements of, 696
 Touch. *See* Tactile sense.
Toxotes jaculator, 701
 spatial judgments of, 701
 Tracheæ, in compound eyes, 168
Trachinus, fovea, 310
 ocular movements, 693
Trachycephalus, pupils, **339**
Trachysaurus, 682
 visual field, binocular, 682
 Tragulina, 446

- Training techniques, 569
 colour vision and, 624
- Transversalis muscle, in chelonians, 372
 in lacertilians, 357
 pigeon, 407
 function of, 651
- Tree-frog. *See Hyla.*
- Tree-shrew. *See Shrew, tree-*
- Tree-snakes, accommodation in, 648
 fovea, 392
 ocular movements of, 695
 pupils, 388
 visual acuity of, 661
 field, 675
- Trematodes, 187
 sense organs of, 189, 734
- Triakis*, pupil, 286
- Trichechus*. *See Manatee.*
- Trichomonads, 179, 180
- Trichoptera, 219, 220
- Triclad worms, 187
 eyes of, 188
 See also Planarians, Dendrocaelum.
- Trigla*, visual field, binocular, 679
- Trilobite, 157
 eyes of, 157
- Trinoton aculeatum*, eyes of, 221
- Triommatidion in aphids, 225
- Triops*. *See Apus.*
- Tristomum papillosum*, ocellus of, 130, 189
- Tritocerebrum, in arthropods, 521
- Triturus (Triton)*, 334, 346
 cartilaginous plaques, 347
 colour vision in, 628
 eyes of, 346, 728
 iris vascularization, 347
 retina, 347, 348
 visual acuity of, 661
cristatus, 347
 colour changes in, 92
pyrrhogaster, iris, 347
torosus, iris, 347, 371, Pl. IV
- Troglichthys*, degenerate eyes in, 726
- Troilus*, colour blindness of, 587
- Tropidonotus fasciatus*, optic disc, 390
 natrix natrix, 384
 chiasma, 392
 ciliary region, 388
 colour training, 628
 pupils, 388
 retina, 389
 visual cells, 391
 field, binocular, 684
- Tropidonotus tessellatus*, accommodation, 649
- Tropo-menotaxis, 61, 68
- Tropotaxis, 31, 52
 definition of, 43
- Trout. *See Salmo trutta.*
- Trygon*, 285
 iris, 285
 pupils, 287
- Trygonorhina*, pupils, 286, 287
- Trypanosoma*, 179, 180
- Trypauchen*, degenerate eyes in, 726
- Trypauchenophrys*, degenerate eyes in, 726
- Tuatara. *See Sphenodon.*
- Tuber nuclei of hypothalamus, 559
- Tubular eyes, in cephalopods, 203
 in fishes, 322, 323, 606
 by artificial selection, 324
 optics of, 642, 643
 visual field of, 675, 680
- Tubulidentata, 445
 See also Aard-vark.
- Tunicates, 228
 See also Ascidiants.
- Tunny. *See Thunnus.*
- Tupaia*. *See Shrew, tree.*
- Tupinambis*, ciliary region, 358
 nigropunctatus, iris, Pl V
- Turbellarian worms, 187
 dermal sensitivity, 114
 nerve-net, 516, 518
 nervous system, 518, 519
 sense organs, 188
 See also Planarians, etc.
- Turdus migratorius*, retinal summation in, 660
- Turkey, nictitating membrane, 423
 See also Meleagris.
- Turris*, sense organs of, 183
- Turtle, 369
 See also Chelonians, Chrysemys, Emys,
 etc. ^{†††}
- Tylopoda*, 446
 corpora nigra, 470
 pupils, 472
 tapetum lacking, 458, 609
- Typhlachirus*, degenerate eyes in, 726
- Typhlaontias*, secondary spectacle, 367
- Typhlias*, degenerate eyes in, 725
- Typhlichthys*, degenerate eyes in, 726
- Typhlocirolana*, degenerate eyes in, 725
- Typhlogobius californiensis*, degenerate eyes in, 726

INDEX

- Typhlomolge*, degenerate eyes in, 728
Typhonarke, degenerate eyes of, 279, 724
Typhlonectes, eyes of, 730
Typhlonus, degenerate eyes of, 724
Typhloperipatus, degenerate eyes in, 724
Typhlopidae, 383
 eyes of, 731
Typhlops, eye of, 731
Typhlotriton, degenerate eyes in, 728

U

- Uca*, colour changes in, 95
 metabolic rhythm in, 16
 retinal pigment migration in, 19, 20
Ultra-violet light, visibility of, in insects, 585, 587
 in stickleback, 619
Umbra, colour vision in, 625
 threshold to light, difference, 617
Umbraculum, pupillary, 470, 612
Ungulates, 446
 accommodation lacking in, 653
 area centralis, 485
 arhythmicity of, 604
 blood supply to eye, 500
 ciliary muscle, 461
 processes, 466
 region, 461, 462
 circle of Hovius, 472
 colour blindness of, 634
 cornea, 453
 corpora nigra, 469
 Moll's glands, 492
 nictitating membrane, 493, 496
 ocular movements of, 696
 optic axis, 688
 disc, 486
 orbit, 498
 pectinate ligament, 464
 pupils, 471
 reactions of, 472
 ramp-retina, 643
 refraction, 639
 retinal vascularization, 479
 retractor bulbi, 495
 spatial judgments, 704
 tapetum fibrosum, 457, 609
 vision of, 601
visual acuity of, 664
 field, binocular, 689
 uniocular, 672

- Ungulates, zonular fibres, 475
 See also various genera.
Uniocular vision, 697
 visual fields, 669
Uranoscopus, pupil, 329
 visual field, binocular, 680
Urinary output, diurnal rhythm in, 13
Urochordates. See Tunicates.
Urodeles, 334
 accommodation in, 648
 colour vision in, 628
 eyes of, 346 ff., Pl. IV
 degenerate, 726
 lateral lines, 534
 migration of retinal pigment, 614
 of visual cells, 616
 ocular movements in, 694
 pineal organ, 714
 refraction of, 639
 vision of, 599
Uromacer, visual field, binocular, 684
Ursidae. See Bears.
Uveal tract, characteristics in
 amphibians, 335
 birds, 404
 chelonians, 370
 cœlacanth, 315
 dipnoans, 313
 fishes, 277
 lacertilians, 356
 lamprey, 266
 marsupials, 438
 placentals, 457
 selachians, 281
 snakes, 385
 Sphenodon, 380
 teleosts, 296
 See also Choroid, Ciliary region, Iris.

V

- Vampire bat, 443
Vanadis, eye of, 143
Vanessa, 170
 colour vision in, 587
 scototaxis in, 56, 60
 vision of, 585
Varanus, conus, 362
 eye of, 354
 orbit, 368
 visual field, binocular, 682
bengalensis, iris furrow, 337

- Vascular system of eye. *See* Blood supply to eye.
- Vena media, of anurans, 342
- Ventral light reaction, 75
- Venus mercenaria*, metabolic rhythm in, 15
- Vermilia infundibulum*, ocelli of, 192
- Vertebrates, accommodation in, 640
ancestry of, 233
angle gamma in, 676, 677
brain of, 531, 533
central nervous system, 530
development of, 531, 532
eyes of, 259 *ff.*
adaptations of, 254
degenerate, 723, 725, 730, 734
embryology of, 239
evolution of, 233
ontogeny of, 239
origin of, 242
from *Amphioxus*, 244
from Ascidian, 245
placode theory of, 246
phylogeny of, 237
structure of, 248, 254
movement, perception of, in, 706
neuro-endocrine system, 552, 556, 557
ocular movements in, 689
optic axis, 688
phylum of, 233, 234
pineal apparatus, 711
refraction of, 638
vision of, 597
colour, 619
form, 637
visual acuity of, 660
fields, binocular, 672
uniocular, 669
- Vesicular eyes, 141
- Vespa*, 219
vision of, 584, 585
See also Wasps.
- Vespertilio*, 443
- Vibratory receptors, 116, 534, 597
in cetaceans, 601
fishes, 598
snakes, 599, 667
- Vibrotropism, in spiders, 579
- Viper, European. *See* *Vipera berus*.
horned, 392
pit. *See* *Crotalus*, etc.
- Vipera berus*, optic disc, 390
visual cells, 392
- Viperidae, facial pit in, 117, 599, 600
- Viperidae, visual cells, 392
- Vision, central organization of, 509
hormonal, 547
nervous, 511
colour. *See* Colour vision.
form. *See* Form vision, Visual acuity.
genesis of, 102
imaginative, 753
of invertebrates, 570
arachnids, 579
arthropods, 577
insects, 581
molluscs, 574
cephalopod, 575
worms, 572
of vertebrates, 597
binocular, 697
uniocular, 697
perceptual, 753
- Visual acuity, of insects, 588
of vertebrates, 660
amphibians, 661
birds, 662
fishes, 660
mammals, 663
reptiles, 661
axis, 675, 676, 683
cells, 250
characteristics in
invertebrates, 127, 128
apolar, 131
bipolar, 130
See also Light-sensitive cells.
- vertebrates, 250
anurans, 342, 344
birds, 419
chelonians, 372, 374
chondrostearns, 320
crocodilians, 377
dipnoans, 313, 314
holosteans, 321, 322
lacertilians, 363, 364
lamprey, 268, 269
Latimeria, 315
marsupials, 440, 441
monotremes, 436
Periophthalmus, 327
placentals, 482
selachians, 288
snakes, 391, 392
Sphenodon, 382
teleosts, 305, 307
urodeles, 347, 348

INDEX

Visual cells, development of, 243
 lengthening of, 643
 migration of, 614, **615**
 rhythmic, 19
 multiple, 253
 origin of, 252
 centres, evolution of, 543
 in mid-brain, 534
 fields, binocular, 672
 of amphibians, 682
 birds, **682**, 684
 cyclostomes, 678
 fishes, **678**, **679**
 mammals, 687, **689**
 reptiles, 682
 uniocular, 669, **670**
 illusions, **703**
 judgments, 700
 orientations, 669
 pathways, cortical projection, 544
 evolution of, 543
 in amphibians, **537**
 arthropods, 524, **525**, **526**
 birds, **539**
 cephalopods, 528, **529**
 cyclostomes, **535**
 fishes, **536**
 mammals, **540**
 reptiles, **538**
 pigments, 118
 purple, 122
 trident, **684**
 violet, 122
 Vital spirits, 28
 Vitamin A pigment system, 120
 in arthropods, 121
 molluscs, 120
 vertebrates, 121
 Vitellæ, in compound eyes, 167
 Vitreous, characteristics in
 placentals, 476
 selachians, 287
 teleosteans, 304
 Viverridæ, 445
 pupils, 470, 471, 472
 retinal vascularization, 479
 Vizcacha, **442**, 445
 pupils, 472
 Vole, field-, 445
 eye of, 450
 red-backed, colour vision in, 633
Volvox, **179**, 180
 globator, klinotaxis in, 49

Vorticella, **179**, 180
Vulpes. *See Fox*.
 Vulture, African, visual acuity of, 662

W

Walckenaera acuminata, eyes of, 214
 Wallaby, 437, 440
 ciliary region, **439**
 eye of, **438**
 Walls, Gordon, **352**, 353
 Walrus, 445
 ocular adnexa, 501
 pupils, 470
 See also Pinnipedes.
 "Warning colours", 631
 Wasps, 219, 220
 digger-. *See Philanthus*.
 eyes of, 160
 mnemotaxis in, **79**
 time-memory in, 22
 See also Vespa.
 Water-beetle. *See Dytiscus*.
 Water-fleas. *See Cladocera*.
 Weasel, 445, 472
 pupils, 472
 Whale, beaked, ciliary receptor organs, 467
 blue, **444**, 446
 eyes of, 449
 hump-back, **444**, **446**
 ciliary receptor organs, 467
 sclera, 451
 killer, 446
 right-, 446
 sperm-, **444**, **446**
 See also Cetaceans.
 Whelk. *See Buccinum*.
 Whip-tailed scorpion, 214
 activity of, 34
 eyes of, **149**, 150, 214
 Whirligig beetle, 74
 accommodation, static, 591
 orientation of, 74
 See also Dineutus.
 Winteria, tubular eyes in, 324
 Wolf (*Canis lupus*), 445
 accommodation in, 653
 eye of, **447**
 nictitating membrane, 493
 optic disc, 486
 Wolverine, pupils, 472
 Wombat, 437, **441**
 Wood, Casey Albert, **396**, 397

Woodlice, 206
 eyes of, 206
 lacking, 729
See also Armadillidium, Oniscus.
 Woodpecker. *See Dendrocopus, Melanerpes.*
 Worms, 186
 bilateral symmetry in, 186, 517
 bioluminescence in, 739, 745
 eyes of, 187
 nerve-net, 515, 518
 nervous system, 518
 receptor-effector system, 514
 segmented. *See Annelids.*
 unsegmented, 187
 phototactic reactions of, 572
See also Platyhelminthes, etc.
 vision of, 572
 W-substance in amphibians, 97

X

Xanthophores, 88
 in corneal epithelium of fishes, 295
 Xanthophyll, 119
 in human macula, 122
Xanthusia, foveal pit, 365
 pupils, 359
 visual cells, 252, 364
 Xenarthra, 445
 cornea, keratinized, 456
 retinal vascularization, 480
 visual cells, 482
Xenopus laevis, 334, 337
 colour changes in, 91, 98
 pineal organ and, 719
 iris, 337
 migration of pigment absent, 614
 reproductive cycle in, 17
 retina, 343

Xerus. *See Squirrel, African.*
Xiphias, 294
 dilatator muscle, 303
 optic nerve, 311
 scleral ossicles, 294
 Xiphosura, 212
 neuro-endocrine system, 552
See also Limulus.
 X-organ, in crustaceans, 552, 553
 in myriapods, 552

Z

Zaglossus. *See Echidna.*
Zamenis, visual field, binocular, 684
 Zebra (*Equus zebra*), 444, 446
 corpora nigra, 469
See also Equidae.
 Zeis's glands, in elephant, 491
Zenaidura macroura, reproductive cycle in, 18
Zenion, eyes of, 323
Zonosaurus, eyelids, 367
 Zonular fibres, characteristics in
 anurans, 335
 birds, 410
 lacertilians, 361
 monotremes, 436
 placentals, 475
 selachians, 285
 snakes, 389
Sphenodon, 381
See also Suspensory ligament.
Zonurus giganteus, visual field, binocular, 682
 Zoraptera, 220
Zosterops japonica, reproductive cycle in, 18